

2021-1  
EN II INT

# WEINSBERG

*Dein Urlaub!*


# TECHNICAL SPECIFICATIONS

ON THE **ROAD**



**CARAVANS** CaraCito

## TECHNICAL SPECIFICATIONS



| CaraCito  | 390 QD        | 450 FU         | 470 EU              | 470 QDK            | 500 QDK            |
|---|---------------|----------------|---------------------|--------------------|--------------------|
| <b>BASIC EQUIPMENT</b>                                      |               |                |                     |                    |                    |
| Total length incl. drawbar (cm)                             | 593           | 659            | 683                 | 683                | 719                |
| Usable length (cm)  | 402           | 468            | 492                 | 492                | 528                |
| Width (outer/inner) (cm)                                    | 220 / 204     | 232 / 216      | 232 / 216           | 232 / 216          | 232 / 216          |
| Height (outer/inner) (cm)                                   | 257 / 196     | 257 / 196      | 257 / 196           | 257 / 196          | 257 / 196          |
| Awning dimensions (cm) (Note: H139)                         | 855           | 921            | 945                 | 945                | 981                |
| Mass of unladen vehicle (kg) (Note: H719)                   | 810           | 920            | 960                 | 960                | 1.050              |
| Mass in running order (kg) (Note: H140,H719)                | 830           | 940            | 980                 | 980                | 1.070              |
| Technically maximum authorised laden mass (kg) (Note: H719) | 1.100         | 1.200          | 1.200               | 1.200              | 1.350              |
| Maximum payload (kg) (Note: H719)                           | 270           | 260            | 220                 | 220                | 280                |
| Tyre size   | 195/70 R 14   | 195/70 R 14    | 195/70 R 14         | 195/70 R 14        | 195/70 R 14        |
| Rim size  | 5 1/2 J x14   | 5 1/2 J x14    | 5 1/2 J x14         | 5 1/2 J x14        | 5 1/2 J x14        |
| Beds (Note: H141)   | 4             | 4              | 4                   | 6                  | 6                  |
| Max. number of beds (Note: H142)                            | 4             | 4              | 4                   | 7                  | 7                  |
| <b>BODY</b>   |               |                |                     |                    |                    |
| Total number of hinged windows                              | 3             | 3              | 3                   | 5                  | 5                  |
| Body door (width x height)                                  | 57 x 172      | 57 x 172       | 57 x 172            | 57 x 172           | 57 x 172           |
| Wall thickness, roof (mm)                                   | 33            | 33             | 33                  | 33                 | 33                 |
| Wall thickness, side wall (mm)                              | 33            | 33             | 33                  | 33                 | 33                 |
| Wall thickness, floor (mm)                                  | 40            | 40             | 40                  | 40                 | 40                 |
| <b>LIVING AREA</b>  |               |                |                     |                    |                    |
| Bed size, front (cm)  | 196 x 140/128 | 200 x 138      | 186 x 86 + 198 x 86 | 208 x 140/128      | 208 x 140/122      |
| Bed size, middle (cm)                                       | -             | -              | -                   | 198 x 95           | 190 x 95           |
| Bed size, rear (cm)   | 187 x 117/88  | 198 x 152/ 128 | 198 x 125/ 119      | 210 x 70; 210 x 74 | 187 x 76; 211 x 70 |
| <b>WATER</b>  |               |                |                     |                    |                    |
| Fresh water volume in liters                                | 15            | 15             | 15                  | 15                 | 15                 |
| <b>KITCHEN</b>  |               |                |                     |                    |                    |
| Refrigerator (ltr.)   | 66            | 66             | 66                  | 133                | 133                |
| <b>ELECTRICAL SUPPLY</b>                                    |               |                |                     |                    |                    |
| Number of 230 V socket(s)                                   | 1             | 2              | 1                   | 1                  | 2                  |
| Number of USB socket(s)                                     | -             | -              | -                   | 2                  | 2                  |

## STANDARD EQUIPMENT

|   |  |   |  |
|---|--|---|--|
| <b>Chassis / Load increase</b>            |  | <b>Furniture / surfaces</b>                                   |  |
| 152832                                    | AL-KO chassis with trailing arm axle (Dependent on layout)   | 552940-28   | Furniture decor: Walnut Light and Stone<br>Leather, worktop decor: Terrazzo      |
| 152834                                    | Mono-axle  | 552944  | Vinyl flooring   |
| 152850-01                                 | Stand fixation with crank supports   | <b>Living / sleeping / upholstery and fabrics</b>             |  |
| 152862                                    | 5-point wheel mounting   | 552945-01   | EVO-PORE HRC mattress, fixed beds only   |
| 152837                                    | Automatic reverse drive  | 552954-05   | Curtain as room divider (Dependent on layout)                                    |
| 152838                                    | Servo-assisted handbrake   | 552335-68   | Upholstery selection: Blue Stone   |
| 150111-03                                 | Load increase to 1,200 kg (1,350 kg chassis)<br>(Dependent on layout) (Note: H81)                                    | <b>Kitchen / Bathroom</b>                                     |  |
| 152827                                    | 14" standard wheels  | 402985-17   | Glass ceramic double hotplate EB-DCF-2 (Dependency: ABH8330)                     |
| 152829                                    | Steel rims 14" (Dependency: ABH8268)   | 402986-01   | Refrigerator 65 ltr. 12 V compressor (Dependent on layout) (Dependency: ABH8330) |
| <b>Doors</b>                              |  | 453509-05   | Wooden cabinet with shelves  |
| 102906-01                                 | Body door: WEINSBERG CLASSIC; one-piece without window   | 453503-03   | Cassette toilet Dometic swivelling   |
| 102840                                    | One-key locking system   | <b>Heating / Air conditioning / Gas supply / Water supply</b> |  |
| <b>Service hatches / garage doors</b>     |  | 551054  | Air circulation system 12 V  |
| 102914-13                                 | Gas locker with exterior hatch and wooden floor  | NEU<br>Freshwell<br>3000                                      | Heating / air conditioning Dometic Freshwell<br>3000 (OEM) (Dependency: ABH8330) |
| <b>Windows / roof hoods / ventilation</b> |  | 453510-01   | Water supply with submerged pump   |
| 102923-01                                 | Windows with double glazing tinted, curtained and hinged<br>(window in kitchen area with insect screen and blackout) | 453510-03   | Hot water supply with single-lever mixer tap                                     |
| 101351-01                                 | Roof hood (lift-tilt) 40 cm x 40 cm with insect screen<br>and blackout, clear (bow) (Dependent on layout)            | 453510-04   | Central waste water pipe laying, one external drain under floor                  |
| 101666-10                                 | Hinged window 70 cm x 51 cm, bow right (Dependent on layout)   | 453513  | Fresh water tank 15 ltr.   |
| 101666-11                                 | Hinged window 70 cm x 35 cm with insect<br>screen and blackout, kitchen  | <b>Electronics / Multimedia / Safety</b>                      |  |
| 102619-03                                 | Roof hood 40 cm x 40 cm with insect screen and<br>blackout, clear (rear) (Dependent on layout)                       | 253525  | Electric coupling plug to the towing vehicle, Jäger 13-pin                       |
| 102920-03                                 | Mushroom fan (toilet room)   | 253534-01   | Interior lighting completely in 12 V version                                     |
| <b>Materials / Vehicle graphics</b>       |  | 253522  | CEE external socket for 230 V with circuit breaker                               |
| 102926-19                                 | Aluminium hammer effect sheet on side<br>walls, bow and rear in plain sheet  | 253529  | Ground fault circuit interrupter   |
| 103552-06                                 | Foil graphics WEINSBERG + fabric style colour  | 253528-03   | Converter 240 VA   |
| <b>Lighting / Technics</b>                |  | 253517  | 230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version                         |
| 102933-15                                 | Third brake light  | <b>Miscellaneous</b>  |  |
|   |  | 953542-01   | Operating instruction (German)   |
|   |  | <b>Accessories</b>  |  |
|   |  | 953543  | 10-year leak-proofness guarantee   |

## Notes

## PACKAGES

| <b>151070 CaraCito package (19 kg)</b> |  |
|--|--|
| 101712                                 | Combination roller blinds on the windows (blackout and insect screen)  |
| 150267                                 | Stabiliser safety coupling   |
| 152836                                 | Hydraulic wheel shock absorbers  |
| 252936                                 | Awning light LED   |
| 450623                                 | Fresh water tank 45 ltr. fixed installation  |
| 952823                                 | MediKit voucher: Voucher for an extensive medication set (includes among others wound spray, disinfectant spray and various pharmacy drugs) (Note: H137) |

| <b>151090 Socket plus package</b> |  |
|-----------------------------------|--|
| 250072                            | 3x 230 V SCHUKO socket, additional 1 piece |
| 251949                            | 2x USB socket                              |

| <b>151085 Ambient lighting package - CaraCito</b> |  |
|---|--|
| 253578  | LED recessed spots above seating group, LED ambient lighting above ceiling cabinet hatches |

| <b>151080 Shower extension package (9 kg)</b> |  |
|---|--|
| 450083  | Truma Therme with connection for kitchen and T-room (230 V operation only) |
| 450092  | Waste water tank 25 ltr. rollable  |
| 450520  | Shower extension washroom (shower fitting with holder and shower curtain)  |
| 452718  | Water filter system "BWT - Best-Camp mini"                                 |
| 453604  | Shower tray  |

| <b>151075 Gas package (gas facility)</b> |  |
|--|--|
| 303581                                   | Gas locker with big exterior hatch, solid floor, equippable with two gas bottles (max. 11 kg capacity) |
| 353579                                   | Truma S gas heating incl. air circulation  |
| 403563                                   | Refrigerator   |
| 403580                                   | 2-burner cooker in gas operation   |
|  | No floor climate, 12 V compressor refrigerator, glass ceramic hob                                      |
|  | Gas operation while driving only permitted with Mono or Duo Control                                    |

### Notes

---



---



---



---



---

## FEATURES AND OPTIONS

| Item no.  | In package/<br>option  | o = option   - = not available   s = standard equipment | KG | 390 00 | 450 EU | 470 EU | 470 00K | 500 00K |
|-----------|--|---|----|--------|--------|--------|---------|---------|
|           | <b>Chassis / Load increase</b>   |   |    |        |        |        |         |         |
| 152832-01 | chassis with trailing arm axle   | -   | -  | s      | -      | -      | -       | -       |
| 150997    | AL-KO Trailer Control-ATC - Anti-skid system (2.0)   | 4   | 4  | -      | o      | o      | o       | o       |
| 150065-01 | heavy load crank supports  | 2   | 2  | o      | o      | o      | o       | o       |
| 150840    | AL-KO Big Foot (Dependency: ABH8262)   | 3   | 3  | -      | o      | o      | o       | o       |
| 100570    | Drawbar cover (Dependency: ABH8264)  | 4   | 4  | -      | o      | o      | o       | o       |
| 151110    | Support wheel with integrated support load display   | -   | -  | o      | o      | o      | o       | o       |
|           | <b>Load increase</b>   |   |    |        |        |        |         |         |
| 150111-34 | Load increase to 1,100 kg (1,350 kg chassis) (Note: H81)   | -   | -  | s      | -      | -      | -       | -       |
| 150111-03 | Load increase to 1,200 kg (1,350 kg chassis) (Dependent on layout) (Note: H81)   | -   | -  | o      | s      | s      | s       | -       |
| 150111-04 | Load increase to 1,350 kg (1,350 kg chassis) (Note: H81)   | -   | -  | o      | o      | o      | o       | s       |
| 150112-02 | Load increase to 1,400 kg (1,500 kg chassis) (Note: H81)   | 20  | 20 | -      | o      | o      | o       | o       |
| 150112-03 | Load increase to 1,500 kg (1,500 kg chassis) (Note: H81)   | 20  | 20 | -      | o      | o      | o       | o       |
| 150112-08 | Load increase to 1,600 kg (1,700 kg chassis) (Note: H81)   | 25  | 25 | -      | -      | -      | -       | o       |
| 150112-09 | Load increase to 1,700 kg (1,700 kg chassis) (Note: H81)   | 25  | 25 | -      | -      | -      | -       | o       |
|           | <b>Tyre equipment</b>  |   |    |        |        |        |         |         |
| 152748    | 17" alloy rims - mono-axle, anthracite painted in exclusive WEINSBERG design (Dependency: ABH8320)                         | 21  | 21 | o      | o      | o      | o       | o       |
| 152750    | 17" alloy rims - mono-axle, black matt front-polished in exclusive WEINSBERG design (Dependency: ABH8320)                  | 21  | 21 | o      | o      | o      | o       | o       |
|           | <b>Transport systems</b>   |   |    |        |        |        |         |         |
| 102232    | THULE "Caravan SUPERB" - bicycle carrier for 2 bikes (drawbar); maximum load capacity 60 kg (Dependency: ABH8274, ABH8322) | 10  | 10 | o      | o      | o      | o       | o       |
|           | <b>Spare wheel</b>   |   |    |        |        |        |         |         |
| 152565-01 | Spare tyre 17" alloy rim in WEINSBERG design (Dependency: ABH8324)   | 31  | 31 | o      | o      | o      | o       | o       |
| 150122    | Spare tyre (steel rim) incl. jack (Dependency: ABH8279, ABH8280)   | 21  | 21 | o      | o      | o      | o       | o       |
| 150027    | Spare tyre holder in the gas locker  | 1   | 1  | o      | o      | o      | o       | o       |
|           | <b>Doors</b>   |   |    |        |        |        |         |         |
| 100832    | Insect screen door   | 4   | 4  | o      | o      | o      | o       | o       |
|           | <b>Service hatches / garage doors</b>  |   |    |        |        |        |         |         |
|           | <b>Front</b>   |   |    |        |        |        |         |         |
| 100612-02 | Service hatch 70 cm x 40.5 cm, bow left  | 2   | 2  | o      | -      | -      | -       | -       |
| 100612-04 | Service hatch 100 cm x 40.5 cm, bow left   | 2   | 2  | -      | o      | o      | o       | o       |
| 100612-09 | Service hatch 100 cm x 40.5 cm, bow right  | 2   | 2  | o      | -      | o      | o       | o       |
|           | <b>Rear</b>  |   |    |        |        |        |         |         |
| 100612-19 | Service hatch 70 cm x 30.5 cm, rear left   | 1   | 1  | -      | o      | o      | -       | -       |
| 100612-22 | Service hatch 100 cm x 40.5 cm, rear left  | 2   | 2  | -      | -      | -      | -       | o       |
| 100526-03 | Garage door 60 cm x 95 cm, left (Dependency: ABH8284)  | 4   | 4  | -      | -      | -      | o       | -       |
| 100612-23 | Service hatch 70 cm x 30.5 cm, rear right (Dependency: ABH8288)  | 1   | 1  | -      | o      | o      | -       | -       |
| 100526-04 | Garage door 60 cm x 95 cm, right   | 4   | 4  | -      | -      | -      | o       | -       |

## FEATURES AND OPTIONS

| Item no.  | In package/<br>option |   | o = option   - = not available   s = standard equipment | KG | 390 OD | 450 EU | 470 EU | 470 ODK | 500 ODK |
|-----------|-----------------------|---|---|----|--------|--------|--------|---------|---------|
| 100526-21 |                       | Garage door 100 cm x 120 cm, left (Dependency: ABH8326)   |   | 8  | -      | -      | -      | -       | 0       |
|           |                       | <b>Windows / roof hoods / ventilation</b>   |   |    |        |        |        |         |         |
| 101712    | 151070                | Combination roller blinds on the windows (blackout and insect screen)                                     |   | 11 | 0      | 0      | 0      | 0       | 0       |
|           |                       | <b>Front</b>  |   |    |        |        |        |         |         |
| 101850-01 |                       | Hinged window 100 cm x 62.4 cm with insect screen and blackout, bow (Dependency: ABH8318)                 |   | 6  | 0      | 0      | 0      | 0       | 0       |
| 101666-04 |                       | Hinged window 90 cm x 52 cm with insect screen and blackout, bow left (Dependent on layout)               |   | 6  | 0      | s      | s      | 0       | 0       |
| 101666-09 |                       | Hinged window 90 cm x 52 cm with insect screen and blackout, bow right (Dependent on layout)              |   | 6  | -      | -      | 0      | -       | -       |
|           |                       | <b>Centre</b>   |   |    |        |        |        |         |         |
| 101666-12 |                       | Hinged window 90 cm x 52 cm with insect screen and blackout, centre left                                  |   | 6  | -      | -      | -      | s       | s       |
| 101351-02 |                       | Roof hood (lift-tilt) 40 cm x 40 cm with insect screen and blackout, clear (centre) (Dependency: ABH8328) |   | 3  | 0      | 0      | 0      | s       | 0       |
| 100750-02 |                       | Roof hood (lift-tilt) 70 cm x 50 cm with insect screen and blackout, (centre) (Dependent on layout)       |   | 8  | -      | -      | -      | 0       | 0       |
|           |                       | <b>Rear</b>   |   |    |        |        |        |         |         |
| 102619-03 |                       | Roof hood 40 cm x 40 cm with insect screen and blackout, clear (rear) (Dependent on layout)               |   | 3  | s      | s      | s      | 0       | s       |
| 100750-03 |                       | Roof hood (lift-tilt) 70 cm x 50 cm with insect screen and blackout, (rear) (Dependent on layout)         |   | 8  | 0      | 0      | 0      | -       | -       |
| 101666-05 |                       | Hinged window 70 cm x 51 cm with insect screen and blackout, rear left (Dependent on layout)              |   | 6  | -      | -      | 0      | -       | -       |
| 101666-06 |                       | Hinged window 90 cm x 52 cm, rear left (Dependent on layout)  |   | 6  | s      | 0      | -      | -       | -       |
| 101666-15 |                       | Hinged window 70 cm x 35 cm, rear left  |   | 6  | -      | -      | -      | -       | s       |
| 101666-13 |                       | Hinged window 90 cm x 52 cm, rear right   |   | 6  | -      | s      | -      | -       | -       |
| 101666-14 |                       | Hinged window 70 cm x 51 cm, rear right   |   | 6  | -      | -      | s      | -       | -       |
| 101666-07 |                       | Hinged window 90 cm x 52 cm with insect screen and blackout, (rear) (Dependency: ABH8318)                 |   | 6  | 0      | 0      | 0      | -       | -       |
| 101666-16 |                       | Hinged window 70 cm x 35 cm, (rear)   |   | 6  | -      | -      | -      | s       | -       |
| 102920-02 |                       | Mushroom fan (rear)   |   | -  | -      | -      | -      | s       | -       |
|           |                       | <b>Toilet room</b>  |   |    |        |        |        |         |         |
| 101666    |                       | Hinged window 52 cm x 50 cm with insect screen and blackout, toilet room (Dependency: ABH8318)            |   | 6  | 0      | 0      | -      | -       | -       |
| 101666-02 |                       | Hinged window 60 cm x 52 cm with insect screen and blackout, (toilet room) (Dependency: ABH8318)          |   | 6  | -      | -      | 0      | -       | 0       |
| 101666-03 |                       | Hinged window 50 cm x 30 cm with insect screen and blackout, (toilet room) (Dependency: ABH8318)          |   | 6  | -      | -      | -      | 0       | -       |
|           |                       | <b>Living / sleeping / upholstery and fabrics</b>   |   |    |        |        |        |         |         |
|           |                       | <b>Sleeping</b>   |   |    |        |        |        |         |         |
| 551687    |                       | Bunk bed (double)   |   | -  | -      | -      | -      | s       | s       |

## FEATURES AND OPTIONS

| Item no.  | In package/<br>option |   | o = option   - = not available   s = standard equipment | KG | 390 OD | 450 EU | 470 EU | 470 ODK | 500 ODK |
|-----------|-----------------------|---|---|----|--------|--------|--------|---------|---------|
| 550590    |                       | Bunk bed (triple) (Dependency: ABH8298)   |   | 10 | -      | -      | -      | o       | -       |
| 552682    |                       | Multifunctional bunk bed (triple) (Dependency: ABH8298)   |   | 10 | -      | -      | -      | -       | o       |
| 551965    |                       | Move-out/extension for bed conversion including compensation cushion  |   | 3  | o      | -      | -      | o       | o       |
| 551408    |                       | Rollable slatted frame for single beds  |   | 4  | -      | -      | o      | -       | -       |
|           |                       | <b>Upholstery and fabrics</b>   |   |    |        |        |        |         |         |
|           |                       | <b>Upholstery variants</b>  |   |    |        |        |        |         |         |
| 552335-69 |                       | Upholstery selection: Sweet Chestnut  |   | -  | o      | o      | o      | o       | o       |
| 552335-70 |                       | Upholstery selection: Sparkling Velvet  |   | -  | o      | o      | o      | o       | o       |
|           |                       | <b>COZY HOME consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner</b>            |   |    |        |        |        |         |         |
| 550660-06 |                       | Package PEACH   |   | 3  | o      | o      | o      | o       | o       |
| 550660-02 |                       | Package STONE   |   | 3  | o      | o      | o      | o       | o       |
| 550660-03 |                       | Package AVOCADO   |   | 3  | o      | o      | o      | o       | o       |
| 550660-04 |                       | Package AQUA  |   | 3  | o      | o      | o      | o       | o       |
| 550660-05 |                       | Package MAGNOLIA  |   | 3  | o      | o      | o      | o       | o       |
| 550660-01 |                       | Package EARTH   |   | 3  | o      | o      | o      | o       | o       |
|           |                       | <b>Kitchen / Bathroom</b>   |   |    |        |        |        |         |         |
|           |                       | <b>Kitchen area</b>   |   |    |        |        |        |         |         |
| 400541    |                       | Foldable worktop extension on kitchen block   |   | 1  | o      | -      | o      | o       | o       |
| 402806-02 |                       | Refrigerator 133 ltr. 12V COMPRESSOR  |   | -  | -      | -      | -      | s       | s       |
|           |                       | <b>Bathroom area</b>  |   |    |        |        |        |         |         |
| 453502-02 |                       | Corner washbasin with wooden washstand; with mirror   |   | -  | -      | s      | -      | -       | -       |
|           |                       | <b>Heating / Air conditioning / Gas supply / Water supply</b>   |   |    |        |        |        |         |         |
|           |                       | <b>Gas supply</b>   |   |    |        |        |        |         |         |
| 302973    |                       | Gas system 30 mbar (Dependency: ABH8336)  |   | -  | o      | o      | o      | o       | o       |
| 302974    |                       | Gas hose version D/AT/ES/FI/BE/IT/NL/DK (Dependency: ABH8338)   |   | -  | o      | o      | o      | o       | o       |
| 302978    |                       | Gas regulator version D/AT/ES/FI/BE/IT/NL/DK (Dependency: ABH8338)  |   | -  | o      | o      | o      | o       | o       |
| 301057    |                       | Remote display DuoC (Ice Ex integrated) (Dependency: ABH8340)   |   | -  | o      | o      | o      | o       | o       |
| 301956    |                       | Truma MonoControl CS (incl. gas filter) (Dependency: ABH8338, ABH8304)  |   | 1  | o      | o      | o      | o       | o       |
| 301957    |                       | Truma DuoControl CS (incl. gas filter) (Dependency: ABH8338, ABH8304)   |   | 1  | o      | o      | o      | o       | o       |
| 300518    |                       | External gas socket (Dependency: ABH8338)   |   | -  | o      | o      | o      | o       | o       |
|           |                       | <b>Heating / Air conditioning</b>   |   |    |        |        |        |         |         |
| 550086    |                       | Truma Ultraheat (Dependency: ABH8338)   |   | 2  | o      | o      | o      | o       | o       |
| 550279    |                       | Electric underfloor heating up to body length 550   |   | 11 | o      | o      | o      | o       | o       |
| 552052    |                       | Air conditioning Dometic Freshjet 2200 (OEM) (Dependent on layout) (Dependency: ABH8338, ABH8336, Note: H145) |   | 29 | o      | o      | o      | o       | o       |
|           |                       | <b>Water supply</b>   |   |    |        |        |        |         |         |
| 450083    | 151080                | Truma Therme with connection for kitchen and T-room (230 V operation only) (Dependency: ABH8342)              |   | 2  | o      | o      | o      | o       | o       |
| 452718    | 151080                | Water filter system "BWT - Best-Camp mini" (Dependency: ABH8344)  |   | 1  | o      | o      | o      | o       | o       |

# FEATURES AND OPTIONS

| Item no.                                 | In package/<br>option |   | o = option   - = not available   s = standard equipment | KG | 390 0D | 450 EU | 470 EU | 470 0DK | 500 0DK |
|--|-----------------------|---|---|----|--------|--------|--------|---------|---------|
| <b>Electronics / Multimedia / Safety</b> |                       |   |   |    |        |        |        |         |         |
| <b>Electronics</b>                       |                       |   |   |    |        |        |        |         |         |
| 250376                                   |                       | Mobile system 12 V consisting of: AGM battery, automatic charger, main switch and level indicator for fresh water |   | 29 | 0      | 0      | 0      | 0       | 0       |
| <b>Safety</b>                            |                       |   |   |    |        |        |        |         |         |
| 252698                                   |                       | velocate® GPS tracker (hardware without personal tracking function, theft tracking for an additional fee)         |   | -  | 0      | 0      | 0      | 0       | 0       |
| 252815                                   |                       | velocate® LIFETIME license with unlimited, personal, EU-wide tracking (Dependency: ABH8314)                       |   | -  | 0      | 0      | 0      | 0       | 0       |
| <b>Awning / Awning Accessories</b>       |                       |   |   |    |        |        |        |         |         |
| <b>Awning THULE OMNISTOR</b>             |                       |   |   |    |        |        |        |         |         |
| 500161-02                                |                       | Awning with mounting on the roof 305 cm x 250 cm, white   |   | 26 | 0      | -      | -      | -       | -       |
| 500162-01                                |                       | Awning with mounting on the roof 355 cm x 250 cm, white   |   | 28 | -      | 0      | -      | -       | -       |
| 500657                                   |                       | Awning with mounting on the roof 405 cm x 250 cm, white   |   | 31 | -      | -      | 0      | 0       | -       |
| 501730-01                                |                       | Awning with mounting on the roof 455 cm x 250 cm, white   |   | 33 | -      | -      | -      | -       | 0       |
| <b>Miscellaneous</b>                     |                       |   |   |    |        |        |        |         |         |
| 951036                                   |                       | MOT and registration document   |   | -  | 0      | 0      | 0      | 0       | 0       |
| <b>Accessories</b>                       |                       |   |   |    |        |        |        |         |         |
| 952538                                   |                       | Factory collection caravans Germany   |   | -  | 0      | 0      | 0      | 0       | 0       |
| 150620                                   |                       | Breakdown service set   |   | 2  | 0      | 0      | 0      | 0       | 0       |

**Notes**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



## GENERAL NOTES AND DEPENDENCIES

|      |   |         |  |
|------|---|---------|--|
| H139 | The specified awning circulation dimension is determined on vehicles with standard equipment; this dimension may vary if certain optional extras are selected (e.g. load increase / tyres).   | ABH8262 | Only in combination with 150065-01   |
| H719 | Please refer to the notes and explanations on the back  | ABH8264 | Not possible in combination with 102232  |
| H140 | Mass in running order based on the homologated basic model  | ABH8266 | Includes 953557  |
| H141 | Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.  | ABH8268 | Only in combination with 152827  |
| H142 | For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your WEINSBERG dealer will be happy to advise you.  | ABH8270 | Only in combination with 152829  |
| H81  | possible up to 3 months before production   | ABH8272 | Replaces 152829 and 150109   |
| H128 | Gas operation while driving only permitted with Mono or Duo Control   | ABH8274 | Not possible in combination with 100570  |
| H145 | If this option is selected, the vehicle height increases by approx. 11 cm   | ABH8276 | Only in combination with 152748 or 152750  |
| H31  | Front panel fabric blind not applicable with option 101850 (bow window)   | ABH8279 | Only in combination with 150027  |
| H137 | A voucher to redeem the medicine set is enclosed with the vehicle. The medicine set contains medicines that must be purchased from a pharmacy. The voucher can therefore only be redeemed at the responsible MediKit mail-order pharmacy at <a href="http://www.medikit.shop">www.medikit.shop</a> . You can also obtain further information about your MediKit at <a href="http://www.medikit.shop">www.medikit.shop</a> . | ABH8280 | Not possible in combination with 152748 or 152750  |
| H136 | No floor air condition, 12 V compressor refrigerator, glass ceramic hob   | ABH8282 | Only in combination with 150109  |
|      |   | ABH8284 | Not possible in combination with 100526-21   |
|      |   | ABH8287 | Only in combination with 551687  |
|      |   | ABH8288 | Not possible in combination with 550590  |
|      |   | ABH8292 | Replaces 100612-22   |
|      |   | ABH8293 | Only in combination with 550590 or CARAONENEU1   |
|      |   | ABH8294 | Not possible in combination with 100612-22   |
|      |   | ABH8296 | Replaces 102920-02   |
|      |   | ABH8298 | Replaces 551687  |
|      |   | ABH8300 | Includes 953554 and 953555   |
|      |   | ABH8302 | Only in combination with 450083 and 151010   |
|      |   | ABH8304 | Replaces 302978 and 302979 and 302980 and 302981   |
|      |   | ABH8306 | Only in combination with 551054  |
|      |   | ABH8308 | Replaces 453513  |
|      |   | ABH8310 | Only in combination with 252594  |
|      |   | ABH8312 | Only in combination with 251261 and 250006   |
|      |   | ABH8314 | Only in combination with 252698  |
|      |   | ABH8316 | Includes 302974 and 302975 and 302976 and 302977 and 302978 and 302979 and 302980 and 302981                           |
|      |   | ABH8318 | Only in combination with 151070  |
|      |   | ABH8320 | Replaces 152829  |
|      |   | ABH8322 | Replaces 100570  |
|      |   | ABH8324 | Only in combination with 152748 or 152750, 150027  |
|      |   | ABH8326 | Not possible in combination with 550590 or 552682  |
|      |   | ABH8328 | "Not possible in combination with FW524025321, FW524631721, FW524931021:552052 and FW524935621, FW525235621:100750-02" |
|      |   | ABH8330 | Not possible in combination with 151075  |
|      |   | ABH8332 | Replaces 402985-17   |
|      |   | ABH8334 | Only in combination with 453604  |
|      |   | ABH8336 | Replaces NEU-Freswell3000  |
|      |   | ABH8338 | Only in combination with 151075  |
|      |   | ABH8340 | Only in combination with 151075 or 301957  |
|      |   | ABH8342 | Only in combination with 452718 and 151070   |
|      |   | ABH8344 | Only in combination with 450083 and 151070   |

## IMPORTANT INFORMATION

For leisure vehicles made by WEINSBERG, we grant you a 10-year leak-proofness guarantee on the body manufactured by us in addition to your compulsory guarantee within the framework of our guarantee conditions.

### PLEASE NOTE THE FOLLOWING IMPORTANT INFORMATION FOR ALL LEISURE VEHICLES MADE BY WEINSBERG:

#### ABOUT THIS PRICE LIST:

The content corresponds to the state of printing in 08/2020.

The price list is valid as from 09/2020 for the 2021 model year. Previous price lists, brochure information and technical data are no longer valid in relation to the vehicles offered.

Errors and misprints are reserved.

#### ABOUT TECHNICAL SPECIFICATIONS AND ILLUSTRATIONS:

All dimensions and weights are within possible tolerances of + 5% due to the use of natural raw materials.

Installations, modifications or extensions in unauthorised workshops not only endanger your safety. You also risk losing your general operating permit and the statutory warranty claims. Therefore, have repairs or retrofitting carried out only by an authorised WEINSBERG specialist dealer and insist on WEINSBERG original extras. Any subsequent modifications and extensions, insofar as these are technically possible, require additional assembly and material costs. In individual cases, special request combinations may be mutually excluded.

The information on the delivery contents, measurements and weights as well as the appearance correspond to the knowledge at the time of printing 08/2020. We reserve the right to make changes on equipment, technical data, serial equipment and prices.

After a contract has been concluded, we reserve the right to make technical changes within the framework of the construction insofar as they serve technical progress and are acceptable for the customer. Minor colour and texture deviations are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material (e.g. colour deviations of up to approx. 2.0 dE between paint on sheet metal and paint on GRP/plastic) and are reasonable for the customer.

Some illustrations show equipment features which are not included in the serial equipment and/or which can be ordered at extra cost (optional extras), and in some cases also equipment features of prototypes/studies/country variants which do not correspond to the serial status and which cannot be ordered as optional extras. Minor colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded due to printing processes.

Therefore, before purchasing a vehicle, please seek comprehensive advice on the current status of the series from an authorised WEINSBERG dealer. The decoration shown in the catalogue is not part of the equipment supplied.

#### ABOUT WEIGHTS, CALCULATION EXAMPLES AND NORMS

The water supply system corresponds at least to the state of the art 03/2009 (Directive 2002/72/EC)

WEINSBERG leisure vehicles are characterised by their technical progress. Through innovative solutions such as the use of high-strength steels for the chassis or intelligent honeycomb technology in furniture construction, low tare weights of the WEINSBERG leisure vehicles are created.

The mass of the empty vehicle as referred to in the price list is the mass of the vehicle with Standard equipment and without basic equipment, i.e. without the driver's weight, „liquids“ and optional fittings as referred to in art. 2, ciff. 3 VO (EU) 1230/2012.

The mass in running order, see Article 2, ciff. 4 a) VO (EU) 1230/2012, unless not regulated otherwise, is defined as follows:

Mass of the vehicle with Standard equipment as referred to in manufacturer specifications (incl. tool kit):

+ Liquid gas bottles (5 /11 kg) filled to 100% (i. e. 10 /23 kg total mass)

+ Fresh water tank (filled to 100%)

+ Toilet flush tank (filled to 100%)

+ Fresh water boiler (filled to 100%)

= Mass in running order

The „technically permissible total mass“ see Article 2, ciff. 7 VO (EU) 1230/2012 is defined as follows:

The mentioned vehicle's maximum mass from the manufacturer in loaded state, i. e. the maximum permissible total mass of the vehicle in running order with special equipment and payload (passengers, luggage, etc.)

The maximum permissible payload as referred to in the WEINSBERG catalogue is defined as:

Technically permissible total mass

- Mass in running order

= Maximum permissible payload

Example:

(Technically permissible total mass) 1.400 kg

- (Mass in running order) 1.090 kg

= (Maximum permissible payload) 310 kg

#### LEGALLY REQUIRED INFORMATION

The information provided for a vehicle under the heading „Technical data / equipment details“ initially refers to the basic type of model approved under the EC type-approval procedure. Within the scope of country variants and special models, these values may differ if necessary. Please inform yourself about such deviations personally at your BRAND specialist dealer.

Pay particular attention to the following:

The maximum load capacity as defined in the catalogue specifications is reduced, for example, by the mass of the additional equipment.

When selecting additional equipment, you are responsible for ensuring that your WEINSBERG leisure vehicle, after deducting the mass of the additional equipment from the

maximum load capacity, must still have a minimum load capacity (= minimum payload) which must under no circumstances be undercut (see Annex I, Part D, ciff. 2.3.4.1 OF (EU) 1230/2012)

(Maximum number of beds

+ Total length of the vehicle body in m)

x 10

= Minimum payload capacity in kg

[(Maximum number of beds) 4

+ (Total length of the vehicle body in m) 5]

x 10

= 90 kg.

As the buyer of a WEINSBERG leisure vehicle, you are obliged to comply with the minimum payload. If the vehicle you wish to order does not have the required payload capacity and minimum payload due to the optional equipment selected, you have two options to choose from for your order:

- Increasing the load of the vehicle

- De-selecting optional equipment

Your WEINSBERG dealer will provide you with information on the remaining minimum payload of your vehicle at any time upon request.

The mass of the vehicle with Standard equipment according to manufacturer specifications is determined through weighing of the vehicle with standard serial equipment.

As a user of a caravan, you are obliged to comply with the “technically permissible total mass“ and the respective maximum axle and drawbar loads when driving and to ensure that the load distribution is appropriate and dependent on axle and drawbar load.

Furthermore, you are obliged to observe all other regulations necessary for the safe operation of your caravan.

#### SPECIFICATIONS AND INFORMATION ABOUT PRICES

Ordering optional equipment which substitutes specific package options will not be delivered additionally.

The prices indicated are recommended retail prices of the manufacturer. The prices quoted include the statutory value added tax applicable at the time and, if applicable, other legally prescribed calculation factors or taxes which may also be shown separately. The prices are (depending on the country) exclusive of the costs for registration papers, delivery and transport, unless expressly stated otherwise.

The recommended retail prices for optional equipment are only valid for factory installation in new vehicles in current production. In addition, subsequent installation is not possible for all optional equipment offered. The prices of the individual packages are fixed prices and cannot be changed by additional options.

Please seek advice on further details at your WEINSBERG specialist dealer.

Visit us on  
social media and  
in our fan shop!



facebook.weinsberg.com



instagram.weinsberg.com



youtube.weinsberg.com



shop.weinsberg.com