

2021-1  
EN II INT

# WEINSBERG

*Dein Urlaub!*


# TECHNICAL SPECIFICATIONS

ON THE **ROAD**




**CARAVANS** CaraOne

## TECHNICAL SPECIFICATIONS



CaraOne	390 QD	390 PUH	400 LK	420 QD	450 FU	480 EU	480 QDK
<b>BASIC EQUIPMENT</b>							
Total length incl. drawbar (cm)	593	593	593	635	659	707	707
Usable length (cm)	402	402	402	444	468	516	516
Width (outer/inner) (cm)	220 / 204	232 / 216	220 / 204	220 / 204	232 / 216	232 / 216	232 / 216
Height (outer/inner) (cm)	257 / 196	270 / 209	257 / 196	257 / 196	257 / 196	257 / 196	257 / 196
Awning dimensions (cm) (Note: H139)	855	873	855	897	921	969	969
Mass of unladen vehicle (kg) (Note: H719)	850	1.000	850	900	960	1.070	1.070
Mass in running order (kg) (Note: H140,H719)	890	1.040	890	940	1.000	1.110	1.110
Technically maximum authorised laden mass (kg) (Note: H719)	1.100	1.200	1.100	1.100	1.200	1.350	1.350
Maximum payload (kg) (Note: H719)	210	160	210	160	200	240	240
Tyre size	195/70R14	195/70R14	195/70R14	195/70R14	195/70R14	195/70R14	195/70R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Beds (Note: H141)	4	4	4	4	4	4	6
Max. number of beds (Note: H142)	4	6	5	4	4	4	7
<b>BODY</b>							
Total number of hinged windows	5	4	5	5	6	6	6
Body door (width x height)	60 x 181	70 x 181	60 x 181	70 x 181	60 x 181	60 x 181	70 x 181
Wall thickness, roof (mm)	33	33	33	33	33	33	33
Wall thickness, side wall (mm)	33	33	33	33	33	33	33
Wall thickness, floor (mm)	40	40	40	40	40	40	40
<b>LIVING AREA</b>							
Bed size, front (cm)	196 x 140/128	-	185 x 152/146	196 x 140	199 x 137	212 x 85 / 194 x 85	208 x 140
Bed size, middle (cm)	-	-	-	-	-	-	183 x 95/124
Bed size, rear (cm)	187 x 117/88	197 x 189/171	199 x 74; 199 x 70	181 x 117/88	199 x 152/128	199 x 140/128	211 x 74; 211 x 70
Bed size, lifting bed (cm)	-	201 x 148/134	-	-	-	-	-
<b>WATER</b>							
Fresh water volume in liters	15	15	15	15	15	15	15
<b>KITCHEN</b>							
Refrigerator (ltr.)	106	133	106	106	106	106	133
<b>ELECTRICAL SUPPLY</b>							
Number of 230 V socket(s)	2	2	2	2	2	2	2
Number of USB socket(s)	-	-	-	-	-	-	-

## TECHNICAL SPECIFICATIONS



CaraOne / CaraOne [ICE]	500 FDK	540 EUH	550 UK	550 QDK	740 UDF [ICE]	740 UWF [ICE]
<b>BASIC EQUIPMENT</b>						
Total length incl. drawbar (cm)	719	743	761	759	937	937
Usable length (cm)	528	552	570	568	746	746
Width (outer/inner) (cm)	232 / 216	232 / 216	250 / 234	232 / 216	250 / 234	250 / 234
Height (outer/inner) (cm)	257 / 196	270 / 209	257 / 196	257 / 196	257 / 196	257 / 196
Awning dimensions (cm) (Note: H139)	981	1.023	1.023	1.021	1.197	1.197
Mass of unladen vehicle (kg) (Note: H719)	1.090	1.230	1.190	1.160	1.760	1.870
Mass in running order (kg) (Note: H140,H719)	1.130	1.270	1.230	1.200	1.830	1.940
Technically maximum authorised laden mass (kg) (Note: H719)	1.350	1.500	1.500	1.500	2.000	2.500
Maximum payload (kg) (Note: H719)	220	230	270	300	170	560
Tyre size	195/70R14	185 R14C	185 R14C	185 R14C	185/65 R14	195/70 R 14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Beds (Note: H141)	6	6	6	6	7	4
Max. number of beds (Note: H142)	7	6	7	7	8	4
<b>BODY</b>						
Total number of hinged windows	6	6	7	6	8	8
Body door (width x height)	70 x 181	60 x 181	70 x 181	70 x 181	60 x 172	60 x 172
Wall thickness, roof (mm)	33	33	33	33	33	33
Wall thickness, side wall (mm)	33	33	33	33	33	33
Wall thickness, floor (mm)	40	40	40	40	45	45
<b>LIVING AREA</b>						
Bed size, front (cm)	198 x 137	200 x 85 + 188 x 85	215 x 141/135	208 x 139	216 x 154/144	216 x 154/144
Bed size, middle (cm)	183 x 95/124	-	-	183 x 94/124	2 x 188 x 72; 193 x 94	-
Bed size, rear (cm)	211 x 74; 211 x 70	199 x 175/133	199 x 137; 189 x 66;189x70	187x76; 188x70	197 x 156	197 x 156
Bed size, lifting bed (cm)	-	201 x 148/134	-	-	-	-
<b>WATER</b>						
Fresh water volume in liters	15	15	15	15	45	45
<b>KITCHEN</b>						
Refrigerator (ltr.)	133	133	133	133	177	177
<b>ELECTRICAL SUPPLY</b>						
Number of 230 V socket(s)	2	2	2	2	5	5
Number of USB socket(s)	-	-	-	-	2	2

## STANDARD EQUIPMENT

<b>Chassis / Load increase</b>		<b>Kitchen / Bathroom</b>	
152832	AL-KO chassis with trailing arm axle (Dependent on layout)	402985-01	3-burner cooker with glass cover, stainless steel sink, recessed (Dependency: ABH8300)
152834	Mono-axle	402806	Refrigerator 133 ltr. (Dependent on layout) (Note: H128)
152850-01	Stand fixation with crank supports	453509-05	Wooden cabinet with shelves
152836	Hydraulic wheel shock absorbers	453503-03	Cassette toilet Dometic swivelling
152862	5-point wheel mounting	<b>Heating / Air conditioning / Gas supply / Water supply</b>	
152837	Automatic reverse drive	302973	Gas system 30 mbar
152838	Servo-assisted handbrake	302974	Gas hose version D/AT/ES/FI/BE/IT/NL/DK
152827	14" standard wheels	302978	Gas regulator version D/AT/ES/FI/BE/IT/NL/DK
152829	Steel rims 14" (Dependency: ABH8268)	352968-01	Gas heating Truma S 3004
<b>Doors</b>		453510-01	Water supply with submerged pump
102906	Body door: WEINSBERG TREND; one-piece without window	453510-03	Hot water supply with single-lever mixer tap
102840	One-key locking system	453510-04	Central waste water pipe laying, one external drain under floor
<b>Service hatches / garage doors</b>		453513	Fresh water tank 15 ltr.
102914-02	Gas locker with outer hatch and metal floor, equippable with 2 gas bottles (11 kg capacity)	<b>Electronics / Multimedia / Safety</b>	
<b>Windows / roof hoods / ventilation</b>		253525	Electric coupling plug to the towing vehicle, Jäger 13-pin
102923-01	Windows with double glazing tinted, curtained and hinged (window in kitchen area with insect screen and blackout)	253534-01	Interior lighting completely in 12 V version
102619-01	Roof hood 40 cm x 40 cm with insect screen and blackout, clear (bow) (Dependent on layout)	253522	CEE external socket for 230 V with circuit breaker
102619-03	Roof hood 40 cm x 40 cm with insect screen and blackout, clear (rear) (Dependent on layout) (Dependency: ABH8296)	253529	Ground fault circuit interrupter
100960-04	Roof hood 28 cm x 28 cm with insect screen, (toilet room) (Dependent on layout)	253528-02	Converter 350 VA
<b>Materials / Vehicle graphics</b>		253517	230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version
100887	GRP roof with reduced hail sensitivity	253539	Light in the sleeping area at bunk beds incl. USB socket
102926-15	Aluminium hammer effect sheet on side walls, bow and rear in plain sheet	<b>Miscellaneous</b>	
103552-04	Foil graphics WEINSBERG	953542-01	Operating instruction (German)
<b>Lighting / Technics</b>		<b>Accessories</b>	
252936	Awning light LED	953543	10-year leak-proofness guarantee
102933-15	Third brake light		
<b>Furniture / surfaces</b>			
552941-02	Ventilated cabinets and storage compartments		
552940-20	Furniture decor: Tiberino and Piquet Beige		
552944	Vinyl flooring		
<b>Living / sleeping / upholstery and fabrics</b>			
552945-01	EVO-PORE HRC mattress, fixed beds only		
552964-03	Corner shelves at U-shaped seating group		
552952	Lighting without canopy above kitchen		
552954-05	Curtain as room divider		
552335-10	Upholstery selection: Forest		

**PACKAGES**

<b>151010 Smart package (25 kg)</b>	
101712	Combination roller blinds on the windows (blackout and insect screen)
150065	heavy load crank supports
150267	Stabiliser safety coupling
450623	Fresh water tank 45 ltr. fixed installation
452718	Water filter system "BWT - Best-Camp mini"
551054	Air circulation system 12 V
952823	MediKit voucher: Voucher for an extensive medication set (includes among others wound spray, disinfectant spray and various pharmacy drugs) (Note: H137)

<b>151040 Ambience light package</b>	
552424	LED surface-mounted spotlights above seating group, LED ambient lighting in frieze storage boxes and kitchen hangers, fabric-covered front panel blind, fabric-covered lamp holder above seating group and on kitchen hangers, multifunctional wall as kitchen rear panel
	Front panel fabric blind not applicable with option 101850 (bow window)

<b>151015 Advanced package (17 kg)</b>	
100750	Roof hood (lift-tilt) 70 cm x 50 cm with insect screen and blackout
100832	Insect screen door
450083	Truma Therme with connection for kitchen and T-room (230 V operation only)
450092	Waste water tank 25 ltr. rollable
450520	Shower extension washroom (shower fitting with holder and shower curtain)

<b>210085 TV package 24" (23 kg)</b>	
250004	SAT system CARO® + Premium
251261	TV holder (sleeping area) incl. combi socket
252594	24" TV set with HD tuner
	If this option is selected, the vehicle height increases by approx. 11 cm

## FEATURES AND OPTIONS

Item no.	In package/ option	o = option   - = not available   s = standard equipment	KG	390 OD	390 PUH	400 LK	420 OD	450 FU	480 EU	480 ODK	500 FDK	540 EUH	550 UK	550 ODK
		<b>Chassis / Load increase</b>												
152832-01		chassis with trailing arm axle	-	-	-	s	-	-	-	-	-	-	-	-
150997		AL-KO Trailer Control-ATC - Anti-skid system (2.0)	4	o	o	-	o	o	o	o	o	o	o	o
150065-01	151010	heavy load crank supports	2	o	o	o	o	o	o	o	o	o	o	o
150840		AL-KO Big Foot (Dependency: ABH8262)	3	o	o	-	o	o	o	o	o	o	o	o
100570		Drawbar cover (Dependency: ABH8264)	4	o	o	-	o	o	o	o	o	o	o	o
150267	151010	Stabiliser safety coupling (Dependency: ABH8266)	4	o	o	o	o	o	o	o	o	o	o	o
151110		Support wheel with integrated support load display	-	o	o	o	o	o	o	o	o	o	o	o
		<b>Load increase</b>												
150111-34		Load increase to 1,100 kg (1,350 kg chassis) (Note: H81)	-	s	-	s	s	-	-	-	-	-	-	-
150111-03		Load increase to 1,200 kg (1,350 kg chassis) (Note: H81)	-	o	s	o	o	s	-	-	-	-	-	-
150111-04		Load increase to 1,350 kg (1,350 kg chassis) (Note: H81)	-	o	o	o	o	o	s	s	s	-	-	-
150112-02		Load increase to 1,400 kg (1,500 kg chassis) (Note: H81)	20	-	o	-	-	o	o	o	o	-	-	-
150111-09		Load increase to 1,500 kg (1,500 kg chassis) (Note: H81)	-	-	-	-	-	-	-	-	-	s	s	s
150112-03		Load increase to 1,500 kg (1,500 kg chassis) (Note: H81)	20	-	o	-	-	o	o	o	o	-	-	-
150112-08		Load increase to 1,600 kg (1,700 kg chassis) (Note: H81)	25	-	-	-	-	-	-	-	o	o	o	o
150112-09		Load increase to 1,700 kg (1,700 kg chassis) (Note: H81)	25	-	-	-	-	-	-	-	o	o	o	o
		<b>Tyre equipment</b>												
150109		Alloy rims - mono-axle	-	o	o	o	o	o	o	o	o	o	o	o
151634		14" wheel covers in WEINSBERG Design (Dependency: ABH8270)	1	o	o	o	o	o	o	o	o	o	o	o
152748		17" alloy rims - mono-axle, anthracite painted in exclusive WEINSBERG design (Dependency: ABH8272)	21	o	o	o	o	o	o	o	o	o	o	o
152750		17" alloy rims - mono-axle, black matt front-polished in exclusive WEINSBERG design (Dependency: ABH8272)	21	o	o	o	o	o	o	o	o	o	o	o
		<b>Transport systems</b>												
102232		THULE "Caravan SUPERB" - bicycle carrier for 2 bikes (drawbar); maximum load capacity 60 kg (Dependency: ABH8274)	10	o	o	o	o	o	o	o	o	o	o	o
		<b>Spare wheel</b>												
152565		Spare tyre 17" alloy rim in WEINSBERG design incl. jack (Dependency: ABH8276)	31	o	o	o	o	o	o	o	o	o	-	-
150122		Spare tyre (steel rim) incl. jack (Dependency: ABH8279, ABH8280)	21	o	o	o	o	o	o	o	o	o	o	o
151728		Spare tyre alloy rim with serial tyres (Dependency: ABH8282)	21	o	o	o	o	o	o	o	o	o	o	o
150027		Spare tyre holder in the gas locker	1	o	o	o	o	o	o	o	o	o	o	o
		<b>Doors</b>												
100832	151015	Insect screen door	4	o	o	o	o	o	o	o	o	o	o	o
		<b>Service hatches / garage doors</b>												
		<b>Front</b>												
100612-02		Service hatch 70 cm x 40.5 cm, bow left	2	o	-	-	o	-	-	-	-	-	-	-
100612-04		Service hatch 100 cm x 40.5 cm, bow left	2	-	-	-	-	o	o	o	o	o	-	o
100612-08		Service hatch 100 cm x 30.5 cm, bow right	2	-	-	o	-	-	-	-	-	-	o	-
100612-09		Service hatch 100 cm x 40.5 cm, bow right	2	o	-	-	o	-	o	o	-	o	-	o

## FEATURES AND OPTIONS

Item no.	In package/ option		o = option   - = not available   s = standard equipment	KG	390 OD	390 PUH	400 LK	420 OD	450 FU	480 EU	480 ODK	500 FDK	540 EUH	550 UK	550 ODK
<b>Rear</b>															
100612-19		Service hatch 70 cm x 30.5 cm, rear left		1	-	-	-	-	0	0	-	-	0	-	-
100612-22		Service hatch 100 cm x 40.5 cm, rear left (Dependency: ABH8284)		2	-	-	-	-	-	-	-	-	-	0	0
101958-01		Garage door 60 cm x 95 cm, left (Dependency: ABH8287, ABH8288)		4	-	-	0	-	-	-	0	0	-	-	-
100612-23		Service hatch 70 cm x 30.5 cm, rear right		1	-	0	-	-	0	0	-	-	0	-	-
101958-02		Garage door 60 cm x 95 cm, right (Dependency: ABH8287, ABH8288)		4	-	-	0	-	-	-	0	0	-	-	-
100526-21		Garage door 100 cm x 120 cm, left (Dependency: ABH8293, ABH8294, ABH8292)		8	-	-	-	-	-	-	-	-	-	-	0
<b>Windows / roof hoods / ventilation</b>															
101712	151010	Combination roller blinds on the windows (blackout and insect screen)		11	0	0	0	0	0	0	0	0	0	0	0
<b>Front</b>															
100750-01	151015	Roof hood (lift-tilt) 70 cm x 50 cm with insect screen and blackout, (bow)		8	-	-	0	-	-	-	-	-	0	0	-
102920-01		Mushroom fan (bow)		-	s	-	-	s	-	-	-	-	-	-	-
101850		Hinged window (bow)		6	0	s	0	0	0	0	0	0	0	0	0
<b>Centre</b>															
102619-02		Roof hood 40 cm x 40 cm with insect screen and blackout, clear (centre)		3	0	-	-	0	-	-	s	s	s	s	s
100750-02	151015	Roof hood (lift-tilt) 70 cm x 50 cm with insect screen and blackout, (centre)		8	-	-	-	-	-	-	0	0	-	-	0
<b>Rear</b>															
102619-03		Roof hood 40 cm x 40 cm with insect screen and blackout, clear (rear) (Dependent on layout) (Dependency: ABH8296)		3	s	-	0	s	s	s	0	0	-	s	s
100750-03	151015	Roof hood (lift-tilt) 70 cm x 50 cm with insect screen and blackout, (rear) (Dependency: ABH8296)		8	0	0	-	0	0	0	-	-	0	-	-
102920-02		Mushroom fan (rear)		-	-	-	s	-	-	-	s	s	s	-	-
<b>Toilet room</b>															
102920-03		Mushroom fan (toilet room)		-	-	-	-	s	-	-	s	-	-	-	s
101666		Hinged window 52 cm x 50 cm with insect screen and blackout, toilet room		6	0	0	0	0	s	0	0	s	0	0	s
<b>Living / sleeping / upholstery and fabrics</b>															
<b>Living</b>															
552115		Ceiling cabinets instead of compartments in the rear, left or right		3	-	-	-	-	0	0	-	-	-	-	-
552116		Ceiling cabinets instead of compartments in the front, left or right		3	-	-	0	0	-	0	0	-	0	0	0
552683		Luggage rack (2 pcs) for bunk beds		1	-	-	0	-	-	-	0	0	-	0	0
552778		Textile wardrobe, foldable (2 pieces)		3	-	-	0	-	-	-	0	0	-	-	-
<b>Sleeping</b>															
550075		Carpet floor body length up to 460		6	0	0	0	0	0	0	0	0	-	-	-

## FEATURES AND OPTIONS

Item no.	In package/ option	o = option   - = not available   s = standard equipment	KG	390 OD	390 PUH	400 LK	420 OD	450 FU	480 EU	480 ODK	500 FDK	540 EUH	550 UK	550 ODK
550076		Carpet floor body length 470 to 590	6	-	-	-	-	-	-	-	-	0	0	0
551687		Bunk bed (double)	-	-	s	-	-	-	s	s	-	s	s	
550590		Bunk bed (triple) (Dependency: ABH8298)	10	-	-	0	-	-	-	0	0	-	0	-
552682		Multifunctional bunk bed (triple) (Dependency: ABH8298)	10	-	-	-	-	-	-	-	-	-	-	0
552317		Seating group with folding bed (Dependency: ABH8298)	5	-	-	0	-	-	-	-	-	-	0	-
552413		Seating group with ceiling cabinet in the rear (Dependency: ABH8298)	-	-	-	0	-	-	-	-	-	-	-	-
551965		Move-out/extension for bed conversion including compensation cushion	3	0	-	-	0	-	-	0	0	-	-	0
551408		Rollable slatted frame for single beds	4	-	-	-	-	-	0	-	-	0	-	-
552414		Lateral bed instead of seating group in the front	5	-	-	0	-	-	-	-	-	-	-	-
		<b>Upholstery and fabrics</b>												
		<b>Upholstery variants</b>												
552335-11		Upholstery selection: Stone Water	-	0	0	0	0	0	0	0	0	0	0	0
552335-12		Upholstery selection: Bloom	-	0	0	0	0	0	0	0	0	0	0	0
552335-13		Upholstery selection: Dusk	-	0	0	0	0	0	0	0	0	0	0	0
		<b>COZY HOME consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner</b>												
550660-06		Package PEACH	3	0	0	0	0	0	0	0	0	0	0	0
550660-02		Package STONE	3	0	0	0	0	0	0	0	0	0	0	0
550660-03		Package AVOCADO	3	0	0	0	0	0	0	0	0	0	0	0
550660-04		Package AQUA	3	0	0	0	0	0	0	0	0	0	0	0
550660-05		Package MAGNOLIA	3	0	0	0	0	0	0	0	0	0	0	0
550660-01		Package EARTH	3	0	0	0	0	0	0	0	0	0	0	0
		<b>Kitchen / Bathroom</b>												
		<b>Kitchen area</b>												
400541		Foldable worktop extension on kitchen block	1	0	-	0	0	0	0	0	0	0	0	0
402991-01		Refrigerator 106 ltr. (Note: H128)	-	s	-	s	s	s	s	-	-	-	-	-
402806		Refrigerator 133 ltr. (Dependent on layout) (Note: H128)	-	-	s	-	0	-	-	s	s	s	s	s
		<b>Bathroom area</b>												
450520	151015	Shower extension washroom (shower fitting with holder and shower curtain) (Dependency: ABH8302)	2	0	0	0	0	0	0	0	0	0	0	0
		<b>Heating / Air conditioning / Gas supply / Water supply</b>												
		<b>Gas supply</b>												
301956		Truma MonoControl CS (incl. gas filter) (Dependency: ABH8304)	1	0	0	0	0	0	0	0	0	0	0	0
301957		Truma DuoControl CS (incl. gas filter) (Dependency: ABH8304)	1	0	0	0	0	0	0	0	0	0	0	0
300518		External gas socket	-	0	0	0	0	0	0	0	0	0	0	0
		<b>Heating / Air conditioning</b>												
551054	151010	Air circulation system 12 V	3	0	0	0	0	0	0	0	0	0	0	0
550086		Truma Ultraheat (Dependency: ABH8306)	2	0	0	0	0	0	0	0	0	0	0	0
450083	151015	Truma Therme with connection for kitchen and T-room (230 V operation only)	2	0	0	0	0	0	0	0	0	0	0	0



## FEATURES AND OPTIONS

Item no.	In package/ option		o = option   - = not available   s = standard equipment	KG	390 OD	390 PUH	400 LK	420 OD	450 FU	480 EU	480 ODK	500 FDK	540 EUH	550 UK	550 ODK
550279		Electric underfloor heating up to body length 550		11	0	0	0	0	0	0	0	0	0	0	0
552052		Air conditioning Dometic Freshjet 2200 (OEM) (Note: H145)		29	0	0	0	0	0	0	0	0	0	0	0
		<b>Water supply</b>													
450623	151010	Fresh water tank 45 ltr. fixed installation (Dependency: ABH8308)		4	0	0	0	0	0	0	0	0	0	0	0
450092	151015	Waste water tank 25 ltr. rollable		4	0	0	0	0	0	0	0	0	0	0	0
452718	151010	Water filter system "BWT - Best-Camp mini"		1	0	0	0	0	0	0	0	0	0	0	0
		<b>Electronics / Multimedia / Safety</b>													
		<b>Electronics</b>													
252547-01		Socket Plus package: 230 V socket additional inside (kitchen), additional USB socket (seating group), additional USB socket (sleeping area)		-	0	0	0	0	0	0	0	0	0	0	0
250376		Mobile system 12 V consisting of: AGM battery, automatic charger, main switch and level indicator for fresh water		29	0	0	0	0	0	0	0	0	0	0	0
		<b>Multimedia</b>													
250004	210085	SAT system CARO® + Premium (Dependency: ABH8310, Note: H145)		17	0	0	0	0	0	0	0	0	0	0	0
252594	210085	24" TV set with HD tuner (Dependency: ABH8312)		3	0	0	0	0	0	0	0	0	0	0	0
251261	210085	TV holder (sleeping area) incl. combi socket		3	0	0	0	0	0	0	0	0	0	0	0
250006		TV preparation with socket and cable laying / feed-through		-	0	0	0	0	0	0	0	0	0	0	0
		<b>Safety</b>													
252698		velocate® GPS tracker (hardware without personal tracking function, theft tracking for an additional fee)		-	0	0	0	0	0	0	0	0	0	0	0
252815		velocate® LIFETIME license with unlimited, personal, EU-wide tracking (Dependency: ABH8314)		-	0	0	0	0	0	0	0	0	0	0	0
		<b>Awning / Awning Accessories</b>													
		<b>Awning THULE OMNISTOR</b>													
500653		Awning with mounting on the roof 265 cm x 200 cm, white		25	0	0	0	-	-	-	-	-	-	-	-
500654		Awning with mounting on the roof 305 cm x 250 cm, white		26	-	-	-	0	-	-	-	-	-	-	-
500655		Awning with mounting on the roof 355 cm x 250 cm, white		28	-	-	-	-	0	-	-	-	-	-	-
500657		Awning with mounting on the roof 405 cm x 250 cm, white		31	-	-	-	-	-	0	0	0	0	-	-
501997		Awning with mounting on the roof 455 cm x 250 cm, white		33	-	-	-	-	-	-	-	-	-	0	0
		<b>Miscellaneous</b>													
951036		MOT and registration document		-	0	0	0	0	0	0	0	0	0	0	0
		<b>Accessories</b>													
952538		Factory collection caravans Germany		-	0	0	0	0	0	0	0	0	0	0	0
150620		Breakdown service set		2	0	0	0	0	0	0	0	0	0	0	0
952823	151010	MediKit voucher: Voucher for an extensive medication set (includes among others wound spray, disinfectant spray and various pharmacy drugs) (Note: H137)		-	0	0	0	0	0	0	0	0	0	0	0

## GENERAL NOTES AND DEPENDENCIES

H139	The specified awning circulation dimension is determined on vehicles with standard equipment; this dimension may vary if certain optional extras are selected (e.g. load increase / tyres).	ABH8262	Only in combination with 150065-01
H719	Please refer to the notes and explanations on the back	ABH8264	Not possible in combination with 102232
H140	Mass in running order based on the homologated basic model	ABH8266	Includes 953557
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.	ABH8268	Only in combination with 152827
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your WEINSBERG dealer will be happy to advise you.	ABH8270	Only in combination with 152829
H81	possible up to 3 months before production	ABH8272	Replaces 152829 and 150109
H128	Gas operation while driving only permitted with Mono or Duo Control	ABH8274	Not possible in combination with 100570
H145	If this option is selected, the vehicle height increases by approx. 11 cm	ABH8276	Only in combination with 152748 or 152750
H31	Front panel fabric blind not applicable with option 101850 (bow window)	ABH8279	Only in combination with 150027
H137	A voucher to redeem the medicine set is enclosed with the vehicle. The medicine set contains medicines that must be purchased from a pharmacy. The voucher can therefore only be redeemed at the responsible MediKit mail-order pharmacy at <a href="http://www.medikit.shop">www.medikit.shop</a> . You can also obtain further information about your MediKit at <a href="http://www.medikit.shop">www.medikit.shop</a> .	ABH8280	Not possible in combination with 152748 or 152750
H136	No floor air condition, 12 V compressor refrigerator, glass ceramic hob	ABH8282	Only in combination with 150109
		ABH8284	Not possible in combination with 100526-21
		ABH8287	Only in combination with 551687
		ABH8288	Not possible in combination with 550590
		ABH8292	Replaces 100612-22
		ABH8293	Only in combination with 550590 or CARAONENEU1
		ABH8294	Not possible in combination with 100612-22
		ABH8296	Replaces 102920-02
		ABH8298	Replaces 551687
		ABH8300	Includes 953554 and 953555
		ABH8302	Only in combination with 450083 and 151010
		ABH8304	Replaces 302978 and 302979 and 302980 and 302981
		ABH8306	Only in combination with 551054
		ABH8308	Replaces 453513
		ABH8310	Only in combination with 252594
		ABH8312	Only in combination with 251261 and 250006
		ABH8314	Only in combination with 252698
		ABH8316	Includes 302974 and 302975 and 302976 and 302977 and 302978 and 302979 and 302980 and 302981
		ABH8318	Only in combination with 151070
		ABH8320	Replaces 152829
		ABH8322	Replaces 100570
		ABH8324	Only in combination with 152748 or 152750, 150027
		ABH8326	Not possible in combination with 550590 or 552682
		ABH8328	"Not possible in combination with FW524025321, FW524631721, FW524931021:552052 and FW524935621, FW525235621:100750-02"
		ABH8330	Not possible in combination with 151075
		ABH8332	Replaces 402985-17
		ABH8334	Only in combination with 453604
		ABH8336	Replaces NEU-Freswell3000
		ABH8338	Only in combination with 151075
		ABH8340	Only in combination with 151075 or 301957
		ABH8342	Only in combination with 452718 and 151070
		ABH8344	Only in combination with 450083 and 151070

## IMPORTANT INFORMATION

For leisure vehicles made by WEINSBERG, we grant you a 10-year leak-proofness guarantee on the body manufactured by us in addition to your compulsory guarantee within the framework of our guarantee conditions.

### PLEASE NOTE THE FOLLOWING IMPORTANT INFORMATION FOR ALL LEISURE VEHICLES MADE BY WEINSBERG:

#### ABOUT THIS PRICE LIST:

The content corresponds to the state of printing in 08/2020.

The price list is valid as from 09/2020 for the 2021 model year. Previous price lists, brochure information and technical data are no longer valid in relation to the vehicles offered.

Errors and misprints are reserved.

#### ABOUT TECHNICAL SPECIFICATIONS AND ILLUSTRATIONS:

All dimensions and weights are within possible tolerances of + 5% due to the use of natural raw materials.

Installations, modifications or extensions in unauthorised workshops not only endanger your safety. You also risk losing your general operating permit and the statutory warranty claims. Therefore, have repairs or retrofitting carried out only by an authorised WEINSBERG specialist dealer and insist on WEINSBERG original extras. Any subsequent modifications and extensions, insofar as these are technically possible, require additional assembly and material costs. In individual cases, special request combinations may be mutually excluded.

The information on the delivery contents, measurements and weights as well as the appearance correspond to the knowledge at the time of printing 08/2020. We reserve the right to make changes on equipment, technical data, serial equipment and prices.

After a contract has been concluded, we reserve the right to make technical changes within the framework of the construction insofar as they serve technical progress and are acceptable for the customer. Minor colour and texture deviations are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material (e.g. colour deviations of up to approx. 2.0 dE between paint on sheet metal and paint on GRP/plastic) and are reasonable for the customer.

Some illustrations show equipment features which are not included in the serial equipment and/or which can be ordered at extra cost (optional extras), and in some cases also equipment features of prototypes/studies/country variants which do not correspond to the serial status and which cannot be ordered as optional extras. Minor colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded due to printing processes.

Therefore, before purchasing a vehicle, please seek comprehensive advice on the current status of the series from an authorised WEINSBERG dealer. The decoration shown in the catalogue is not part of the equipment supplied.

#### ABOUT WEIGHTS, CALCULATION EXAMPLES AND NORMS

The water supply system corresponds at least to the state of the art 03/2009 (Directive 2002/72/EC)

WEINSBERG leisure vehicles are characterised by their technical progress. Through innovative solutions such as the use of high-strength steels for the chassis or intelligent honeycomb technology in furniture construction, low tare weights of the WEINSBERG leisure vehicles are created.

The mass of the empty vehicle as referred to in the price list is the mass of the vehicle with Standard equipment and without basic equipment, i.e. without the driver's weight, „liquids“ and optional fittings as referred to in art. 2, ciff. 3 VO (EU) 1230/2012.

The mass in running order, see Article 2, ciff. 4 a) VO (EU) 1230/2012, unless not regulated otherwise, is defined as follows:

Mass of the vehicle with Standard equipment as referred to in manufacturer specifications (incl. tool kit):

+ Liquid gas bottles (5 /11 kg) filled to 100% (i. e. 10 /23 kg total mass)

+ Fresh water tank (filled to 100%)

+ Toilet flush tank (filled to 100%)

+ Fresh water boiler (filled to 100%)

= Mass in running order

The „technically permissible total mass“ see Article 2, ciff. 7 VO (EU) 1230/2012 is defined as follows:

The mentioned vehicle's maximum mass from the manufacturer in loaded state, i. e. the maximum permissible total mass of the vehicle in running order with special equipment and payload (passengers, luggage, etc.)

The maximum permissible payload as referred to in the WEINSBERG catalogue is defined as:

Technically permissible total mass

- Mass in running order

= Maximum permissible payload

Example:

(Technically permissible total mass) 1.400 kg

- (Mass in running order) 1.090 kg

= (Maximum permissible payload) 310 kg

#### LEGALLY REQUIRED INFORMATION

The information provided for a vehicle under the heading „Technical data / equipment details“ initially refers to the basic type of model approved under the EC type-approval procedure. Within the scope of country variants and special models, these values may differ if necessary. Please inform yourself about such deviations personally at your BRAND specialist dealer.

Pay particular attention to the following:

The maximum load capacity as defined in the catalogue specifications is reduced, for example, by the mass of the additional equipment.

When selecting additional equipment, you are responsible for ensuring that your WEINSBERG leisure vehicle, after deducting the mass of the additional equipment from the

maximum load capacity, must still have a minimum load capacity (= minimum payload) which must under no circumstances be undercut (see Annex I, Part D, ciff. 2.3.4.1 OF (EU) 1230/2012)

(Maximum number of beds

+ Total length of the vehicle body in m)

x 10

= Minimum payload capacity in kg

[(Maximum number of beds) 4

+ (Total length of the vehicle body in m) 5]

x 10

= 90 kg.

As the buyer of a WEINSBERG leisure vehicle, you are obliged to comply with the minimum payload. If the vehicle you wish to order does not have the required payload capacity and minimum payload due to the optional equipment selected, you have two options to choose from for your order:

- Increasing the load of the vehicle

- De-selecting optional equipment

Your WEINSBERG dealer will provide you with information on the remaining minimum payload of your vehicle at any time upon request.

The mass of the vehicle with Standard equipment according to manufacturer specifications is determined through weighing of the vehicle with standard serial equipment.

As a user of a caravan, you are obliged to comply with the “technically permissible total mass“ and the respective maximum axle and drawbar loads when driving and to ensure that the load distribution is appropriate and dependent on axle and drawbar load.

Furthermore, you are obliged to observe all other regulations necessary for the safe operation of your caravan.

#### SPECIFICATIONS AND INFORMATION ABOUT PRICES

Ordering optional equipment which substitutes specific package options will not be delivered additionally.

The prices indicated are recommended retail prices of the manufacturer. The prices quoted include the statutory value added tax applicable at the time and, if applicable, other legally prescribed calculation factors or taxes which may also be shown separately. The prices are (depending on the country) exclusive of the costs for registration papers, delivery and transport, unless expressly stated otherwise.

The recommended retail prices for optional equipment are only valid for factory installation in new vehicles in current production. In addition, subsequent installation is not possible for all optional equipment offered. The prices of the individual packages are fixed prices and cannot be changed by additional options.

Please seek advice on further details at your WEINSBERG specialist dealer.

Visit us on  
social media and  
in our fan shop!



facebook.weinsberg.com



instagram.weinsberg.com



youtube.weinsberg.com



shop.weinsberg.com