

2023-2  
EN II INT

# WEINSBERG

*Dein Urlaub!*

## TECHNICAL DATA CARAVANS




CaraCito



Configure Caravan now under:

[configurator.weinsberg.com](https://configurator.weinsberg.com)

[www.weinsberg.com](https://www.weinsberg.com)



## TECHNICAL SPECIFICATIONS

CaraCito	390 QD	450 FU	470 EU	470 QDK	500 QDK
<b>BASIC EQUIPMENT</b>					
Total length incl. drawbar (cm)	593	659	683	683	719
Usable length (cm)	402	468	492	492	528
Width (outside) (cm)	220	232	232	232	232
Width (inside) (cm)	204	216	216	216	216
Height (outside) (cm)	257	257	257	257	257
Awning dimensions (cm) (Note: H139)	855	921	945	945	981
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Note: H719)	850	960	1.000	1.000	1.090
Technically maximum authorised laden mass (kg) (Note: H719)	1.100	1.200	1.200	1.200	1.350
Maximum payload (kg) (Note: H719)	250	240	200	200	260
Beds (Note: H141)	4	4	4	6	6
Max. number of beds (Note: H142)	4	4	4	7	7
<b>BODY</b>					
Total number of hinged windows	3	3	3	5	5
Body door (width x height)	57 x 172	57 x 172	57 x 172	57 x 172	57 x 172
Wall thickness, roof (mm)	33	33	33	33	33
Wall thickness, side wall (mm)	33	33	33	33	33
Wall thickness, floor (mm)	40	40	40	40	40
<b>LIVING AREA</b>					
Bed size, front (cm)	196 x 140/128	200 x 138	186 x 86; 198 x 86	208 x 140/128	208 x 140/122
Bed size, middle (cm)	-	-	-	198 x 95	190 x 95
Bed size, rear (cm)	187 x 117/88	198 x 152/128	198 x 125/119	210 x 70; 210 x 74	187 x 76; 211 x 70
<b>WATER</b>					
Fresh water volume in liters	15	15	15	15	15
<b>KITCHEN</b>					
Refrigerator (ltr.)	83	83	83	133	133
<b>ELECTRICAL SUPPLY</b>					
Number of 230 V socket(s)	1	2	1	1	2
Number of USB socket(s)	-	-	-	2	2

## STANDARD EQUIPMENT

<b>Chassis / Load Increase</b>		<b>Furniture / Surfaces</b>	
152832-01	Chassis with trailing arm axle	552940-28	Furniture decor: Walnut Light and Stone Leather, worktop decor: Terrazzo
152834	Mono-axle	552944	Vinyl flooring
152850-01	Stand fixation with crank supports	<b>Living / Sleeping / Upholstery and Fabrics</b>	
152862	5-point wheel mounting	552945-01	EvoPore HRC mattress, fixed beds only
152837	Automatic reverse drive	552954-05	Curtain as room divider (Dependent on layout)
152838	Servo-assisted handbrake	552335-68	Upholstery selection: BLUE STONE
150111-03	Load increase to 1.200 kg (1.350 kg chassis) (Dependent on layout) (Note: H81)	<b>Kitchen / Bathroom</b>	
152827	14" tyres	402985-20	Induction double hot plate (Dependency: ABH3040)
152829	Steel rims (Dependency: ABH2936)	402986-02	Refrigerator 83 ltr. (12 V compressor) (Dependent on layout) (Dependency: ABH3040)
<b>Doors</b>		453509-05	Wooden cabinet with shelves
102906-01	Body door: WEINSBERG CLASSIC	453503-03	Cassette toilet DOMETIC swivelling
102840	One-key locking system	<b>Heating / Air conditioning / Gas Supply / Water Supply</b>	
<b>Service hatches / Garage doors</b>		551054	Air circulation system 12 V
102914-13	Gas locker with exterior hatch and wooden floor	353769	Heating / air conditioning DOMETIC Freshwell 3000 (OEM) (Dependency: ABH3040)
<b>Windows / Roof Hoods / Ventilation</b>		453510-01	Water supply with submerged pump
102923-01	Windows with double glazing tinted, curtained and hinged (window in kitchen area with insect screen and blackout)	453510-08	Water supply with single-lever mixer tap
101351-01	Roof hood (lift-tilt) 40 x 40 cm with insect screen and blackout, clear (bow) (Dependent on layout)	453510-04	Central waste water pipe laying, one external drain under floor
103788-03	Hinged window 70 x 51 cm, front right (Dependent on layout)	453513	Fresh water tank 15 ltr.
103788-04	Hinged window 70 x 35 cm with insect screen and blackout, kitchen	<b>Electronics / Multimedia / Safety</b>	
102619-03	Roof hood 40 x 40 cm with insect screen and blackout, clear (rear) (Dependent on layout) (Dependency: ABH3034)	253525	Electric coupling plug to the towing vehicle, Jäger 13-pin
102920-03	Mushroom fan (toilet room)	253534-01	Interior lighting completely in 12 V version
<b>Materials / Vehicle Graphics</b>		253522	CEE external socket for 230 V, with circuit breaker
102926-19	Aluminium hammer effect sheet on side walls, bow and rear in plain sheet	253529	Ground fault circuit interrupter
103552-06	Foil graphics "WEINSBERG" + fabric style colour	253528-03	Converter 240 VA
<b>Lighting / Technology</b>		253517	230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version
102933-15	Third brake light	<b>Miscellaneous</b>	
		953542-01	Operating instruction (German)
		<b>Accessories</b>	
		953543	10-year leak-proofness guarantee

## PACKAGES

151070 CaraCito Package (21 kg)	
101712	Combination roller blinds on the windows (blackout and insect screen)
150065-01	Heavy load crank supports
150267	Stabiliser safety coupling
152836	Hydraulic wheel shock absorbers
253764	Awning light with rain gutter LED
450623	Fresh water tank 45 ltr., fixed installation
952823	MediKit voucher (Note: H137)
953757-01	silwyREADY

151080 Shower extension Package (9 kg)	
450083	TRUMA Therme with connection for kitchen and washroom (230 V operation only)
450092	Waste water tank 25 ltr., rollable
450520	Shower extension washroom (shower fitting with holder and shower curtain)
452718-01	"bluuwater" water filter system
453604	Shower tray

151075 Gas Package (gas facility)	
303581	Gas locker with big exterior hatch, solid floor, equippable with 2 x 11 kg gas bottles
353579	TRUMA S gas heating incl. air circulation
403563	Refrigerator
403580	2-burner cooker in gas operation
	Omission of floor air conditioner, 12 V compressor refrigerator, induction double hotplate
	Gas operation while driving only permitted with Mono or Duo Control

151090 Socket plus Package	
250072-02	230 V SCHUKO socket, additional 1 pc. in seating group
250072-03	230 V SCHUKO socket, additional 1 pc. in sleeping area
250072-06	230 V SCHUKO socket, additional 1 pc. in kitchen
251949-03	USB socket in seating group (1 pc.)
251949-04	USB socket in sleeping area (1 pc.)

114580 Connected-Security-Package for velocate® GPS-Tracker	
252698	velocate® GPS tracker
252815	velocate® LIFETIME license with unlimited, personal, EU-wide tracking
253809	velocate® sensors (gas, temperature, motion)
	In addition, the hardware is prepared to be expanded via optional sensors (e.g. door/window contact). For more information, please visit <a href="http://www.velocate.com">www.velocate.com</a>

## FEATURES AND OPTIONS

Item no.	In package/ option		o = option   - = not available   s = standard equipment	KG	390 QD	450 FU	470 EU	470 QDK	500 QDK
<b>Chassis / Load Increase</b>									
150065-01	151070	Heavy load crank supports		2	0	0	0	0	0
153783		KNOTT.ANS - self-adjusting brake		-	0	0	0	0	0
153785		Trailer Control - Anti-skid system		9	0	0	0	0	0
100570		Drawbar cover		4	0	0	0	0	0
151110		Support wheel with integrated support load display		-	0	0	0	0	0
<b>Load Increase</b>									
150111-34		Load increase to 1.100 kg (1.350 kg chassis) (Note: H81)		-	s	-	-	-	-
150111-03		Load increase to 1.200 kg (1.350 kg chassis) (Dependent on layout) (Note: H81)		-	0	s	s	s	-
150111-04		Load increase to 1.350 kg (1.350 kg chassis) (Note: H81)		-	0	0	0	0	s
150112-02		Load increase to 1.400 kg (1.500 kg chassis) (Note: H81)		12	-	0	0	0	0
150112-03		Load increase to 1.500 kg (1.500 kg chassis) (Note: H81)		12	-	0	0	0	0
150112-08		Load increase to 1.600 kg (1.700 kg chassis) (Note: H81)		28	-	-	-	-	0
150112-09		Load increase to 1.700 kg (1.700 kg chassis) (Note: H81)		28	-	-	-	-	0
<b>Tyres</b>									
151634		14" wheel covers in WEINSBERG Design (Dependency: ABH2938)		1	0	0	0	0	0
152748		17" alloy rims - mono-axle, anthracite painted in exclusive WEINSBERG design (Dependency: ABH3016)		21	0	0	0	0	0
152750		17" alloy rims - mono-axle, black gloss front-polished in exclusive WEINSBERG design (Dependency: ABH3016)		21	0	0	0	0	0
<b>Transport Systems</b>									
102232		Bicycle carrier for 2 bikes, drawbar: THULE Caravan SUPERB		10	0	0	0	0	0
<b>Spare Tyre</b>									
152565-01		Spare tyre 17" alloy rim in WEINSBERG design (Dependency: ABH3018)		31	0	0	0	0	0
150122		Spare tyre (steel rim) incl. jack (Dependency: ABH2945, ABH2946)		21	0	0	0	0	0
150027		Spare tyre holder in the gas locker		1	0	0	0	0	0
<b>Doors</b>									
100832		Insect screen door		4	0	0	0	0	0
<b>Service hatches / Garage doors</b>									
<b>Front</b>									
100612-02		Service hatch 70 x 40.5 cm, bow left		2	0	-	-	-	-
100612-04		Service hatch 100 x 40.5 cm, bow left		2	-	0	0	0	0
100612-09		Service hatch 100 x 40.5 cm, bow right		2	0	-	0	0	0
<b>Rear</b>									
100612-19		Service hatch 70 x 30.5 cm, rear left		1	-	0	0	-	-
100612-22		Service hatch 100 x 40.5 cm, rear left (Dependency: ABH2950)		2	-	-	-	-	0
100526-03		Garage door 60 x 95 cm, left (Dependency: ABH2962)		4	-	-	-	0	-
100612-23		Service hatch 70 x 30.5 cm, rear right		1	-	0	0	-	-
100526-04		Garage door 60 x 95 cm, right		4	-	-	-	0	-
100526-21		Garage door 100 x 120 cm, left (Dependency: ABH3021, ABH3022)		8	-	-	-	-	0
<b>Windows / Roof Hoods / Ventilation</b>									
101712	151070	Combination roller blinds on the windows (blackout and insect screen)		11	0	0	0	0	0
<b>Front</b>									
101850-01		Hinged window 100 x 62.4 cm, with insect screen and blackout (bow) (Dependency: ABH3014)		6	0	0	0	0	0
103788-01		Hinged window 90 x 52 cm with insect screen and blackout, left front (Dependency: ABH3024)		6	0	s	s	0	0
103788-02		Hinged window 90 x 52 cm with insect screen and blackout, front right (Dependency: ABH3026)		6	-	-	0	-	-

## FEATURES AND OPTIONS

Item no.	In package/ option		o = option   - = not available   s = standard equipment	KG	390 QD	450 FU	470 EU	470 QDK	500 QDK
<b>Centre</b>									
103788-05		Hinged window 90 x 52 cm with insect screen and blackout, centre left		6	-	-	-	s	s
102619-02		Roof hood 40 x 40 cm with insect screen and blackout, clear (centre) (Dependency: ABH3028)		3	o	o	o	s	o
100750-02		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (centre) (Dependency: ABH3032, ABH3031)		8	-	-	-	o	o
<b>Rear</b>									
102619-03		Roof hood 40 x 40 cm with insect screen and blackout, clear (rear) (Dependent on layout) (Dependency: ABH3034)		3	s	s	s	o	s
100750-03		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (rear) (Dependency: ABH3036)		8	o	o	o	-	-
103788-06		Hinged window 70 x 51 cm with insect screen and blackout, rear left (Dependency: ABH3026)		5	-	-	o	-	-
103788-07		Hinged window 90 x 52 cm, rear left (Dependency: ABH3038)		6	s	o	-	-	-
103788-08		Hinged window 70 x 35 cm, rear left		5	-	-	-	-	s
103788-09		Hinged window 90 x 52 cm, rear right		6	-	s	-	-	-
103788-10		Hinged window 70 x 51 cm, rear right		5	-	-	s	-	-
103788-11		Hinged window 90 x 52 cm with insect screen and blackout, rear (Dependency: ABH3014)		6	o	o	o	-	-
103788-12		Hinged window 70 x 35 cm, rear		5	-	-	-	s	-
102920-02		Mushroom fan (rear)		-	-	-	-	s	-
<b>Toilet Room</b>									
101666		Hinged window 52 x 50 cm with insect screen and blackout, toilet room (Dependency: ABH3014)		6	o	o	-	-	-
101666-02		Hinged window 60 x 52 cm with insect screen and blackout, (toilet room) (Dependency: ABH3014)		6	-	-	o	-	o
101666-03		Hinged window 50 x 30 cm with insect screen and blackout, (toilet room) (Dependency: ABH3014)		5	-	-	-	o	-
<b>Living / Sleeping / Upholstery and Fabrics</b>									
<b>Sleeping</b>									
551687		Bunk bed (double)		-	-	-	-	s	s
550590		Bunk bed (triple) (Dependency: ABH31162, ABH2972)		10	-	-	-	o	-
552682		Multifunctional bunk bed (triple) (Dependency: ABH2974, ABH2972)		10	-	-	-	-	o
553766		Multifunctional bunk bed (double) (Dependency: ABH15992, ABH2976, ABH2972)		2	-	-	-	-	o
551965		Move-out/extension for bed conversion including levelling cushion		3	o	-	-	o	o
551408		Rollable slatted frame for single beds		4	-	-	o	-	-
<b>Upholstery / Fabrics / Carpets</b>									
<b>Upholstery Variants</b>									
552335-69		Upholstery selection: SWEET CHESTNUT		-	o	o	o	o	o
552335-70		Upholstery selection: SPARKLING VELVET		-	o	o	o	o	o
<b>COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner</b>									
550660-06		COZY HOME Package, colour selection PEACH		3	o	o	o	o	o
550660-02		COZY HOME Package, colour selection STONE		3	o	o	o	o	o
550660-03		COZY HOME Package, colour selection AVOCADO		3	o	o	o	o	o
550660-04		COZY HOME Package, colour selection AQUA		3	o	o	o	o	o
550660-05		COZY HOME Package, colour selection MAGNOLIA		3	o	o	o	o	o
550660-01		COZY HOME Package, colour selection EARTH		3	o	o	o	o	o
<b>Carpets</b>									
550075		Carpet floor - body length up to 460		6	o	o	-	-	-
550076		Carpet floor - body length 470 to 590		6	-	-	o	o	o

## FEATURES AND OPTIONS

Item no.	In package/ option		o = option   - = not available   s = standard equipment	KG	390 00	450 FU	470 EU	470 0DK	500 0DK
<b>Kitchen / Bathroom</b>									
<b>Kitchen</b>									
400541		Foldable worktop extension on kitchen block	1		0	-	0	0	0
402806-02		Refrigerator 133 ltr. 12 V COMPRESSOR	-		-	-	-	s	s
<b>Bathroom Area</b>									
453502-02		Corner washbasin with wooden washstand; with mirror	-		-	s	-	-	-
<b>Heating / Air conditioning / Gas Supply / Water Supply</b>									
<b>Gas Supply</b>									
302973		Gas system 30 mbar (Dependency: ABH3046)	-		0	0	0	0	0
302974		Gas hose version D/AT/ES/FI/BE/IT/NL/DK (Dependency: ABH3048)	-		0	0	0	0	0
302978		Gas regulator version D/AT/ES/FI/BE/IT/NL/DK (Dependency: ABH3048)	-		0	0	0	0	0
301057		Remote display DuoC (Ice Ex integrated) (Dependency: ABH3050)	-		0	0	0	0	0
301956		TRUMA MonoControl CS (incl. gas filter) (Dependency: ABH3048, ABH2986)	1		0	0	0	0	0
301957		TRUMA DuoControl CS (incl. gas filter) (Dependency: ABH3048, ABH2986)	1		0	0	0	0	0
300518		External gas socket (Dependency: ABH3048)	1		0	0	0	0	0
<b>Heating / Air conditioning</b>									
550086		TRUMA Ultraheat (Dependency: ABH3048)	2		0	0	0	0	0
550279		Electric underfloor heating - up to body length 550	11		0	0	0	0	0
552052		Air conditioning DOMETIC Freshjet 2200 (OEM) (Dependency: ABH3048, ABH3052, ABH3046, Note: H145)	29		0	0	0	0	0
<b>Water Supply</b>									
450083	151080	TRUMA Therme with connection for kitchen and washroom (230 V operation only) (Dependency: ABH3054)	2		0	0	0	0	0
452718-01	151080	"bluuwater" water filter system (Dependency: ABH3056)	1		0	0	0	0	0
<b>Electronics / Multimedia / Safety</b>									
<b>Electronics</b>									
253578		LED recessed spots above seating group, LED ambient lighting above ceiling cabinet hatches	1		0	0	0	0	0
253910		One Night Stand: high-performance Caravan Charger docking station, 6Ah Power X-Change battery pack with particularly efficient Li-Ion cells (Dependency: ABH3058)	3		0	0	0	0	0
251729		Mobile system 12 V with automatic charger, main switch and level indicator for fresh water (Dependency: ABH2994)	5		0	0	0	0	0
250376-01		Mobile system 12 V with battery, automatic charger, main switch and fresh water level indicator (Dependency: ABH2994)	29		0	0	0	0	0
253753		Lithium-ion board battery (Dependency: ABH2997, ABH2998)	12		0	0	0	0	0
251248-01		AGM battery, suitable for solar technology (Dependency: ABH2997, ABH3000)	24		0	0	0	0	0
<b>Safety</b>									
252698	114580	velocate® GPS tracker (Note: H146)	-		0	0	0	0	0
252815	114580	velocate® LIFETIME license with unlimited, personal, EU-wide tracking (Dependency: ABH3006)	-		0	0	0	0	0
253809	114580	velocate® sensors (gas, temperature, motion) (Dependency: ABH3008)	-		0	0	0	0	0
<b>Awning / Awning Accessories</b>									
<b>Awning THULE OMNISTOR</b>									
500654		Awning 305 x 250 cm - on-roof mounting, white	26		0	-	-	-	-
500655		Awning 355 x 250 cm - on-roof mounting, white	28		-	0	0	0	-
500657		Awning 405 x 250 cm - on-roof mounting, white	31		-	-	-	-	0
<b>Miscellaneous</b>									
951036		MOT and registration document	-		0	0	0	0	0
<b>Accessories</b>									
150620		Breakdown service set	2		0	0	0	0	0





# Notes and dependencies

H139	The specified perimeter of the awning is determined by the use of vehicles with standard equipment; this perimeter may vary if certain optional extras are selected (e.g. load increases / tyres).
H719	Please refer to the notes and explanations on page 19
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your WEINSBERG dealer will be happy to advise you.
H81	Possible up to 3 months before production
H147	Maximum loadability 250 kg
H128	Gas operation while driving only permitted with Mono or Duo Control
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H31	Front panel fabric blind omitted with option 101850 (bow window)
H146	In addition, the hardware is prepared to be expanded via optional sensors (e.g. door/window contact). For more information, please visit <a href="http://www.velocate.com">www.velocate.com</a>
H137	A voucher to redeem the medicine set is enclosed with the vehicle. The medicine set contains medicines that must be purchased from a pharmacy. The voucher can therefore only be redeemed at the responsible MediKit mail-order pharmacy at <a href="http://www.medikit.shop">www.medikit.shop</a> You can also obtain further information about your MediKit at <a href="http://www.medikit.shop">www.medikit.shop</a> .
H159	Omission of floor air conditioner, 12 V compressor refrigerator, induction double hotplate

ABH2932	Includes 953557	ABH3008	Only in combination with 252815 and 252698
ABH2934	Not possible in combination with FW5155381*:152565	ABH3010	Not possible in combination with 151065 or 151060 or 151019
ABH2936	Only in combination with 152827	ABH3012	Includes 302974 and 302975 and 302976 and 302977 and 302978 and 302979 and 302980 and 302981
ABH2938	Only in combination with 152829	ABH3014	Only in combination with 151070 or 151060 or 151065
ABH2940	Replaces 152829 and 150109 and 151634	ABH3016	Replaces 152829
ABH2942	Only in combination with 152748 or 152750	ABH3018	Only in combination with 152748 or 152750, 150027
ABH2945	Only in combination with 150027	ABH3021	Only in combination with 552682 or 553766
ABH2946	Not possible in combination with 152748 or 152750	ABH3022	Not possible in combination with 100612-22
ABH2948	Only in combination with 150109	ABH3024	Only in combination with FW5240253*, FW5249356*, FW5252356*:151070 or 151060 or 151065
ABH2950	Not possible in combination with 100526-21 or 553766	ABH3026	Only in combination with FW5249310*:151070 or 151060 or 151065
ABH2956	Replaces 100612-22	ABH3028	Not possible in combination with FW5240253*, FW5246317*, FW5249310*:552052 and FW5249356*, FW5252356*:100750-02
ABH2957	Only in combination with 553766 or 552682	ABH3031	Replaces FW5249356*:102619-02
ABH2958	Not possible in combination with 100612-22 or 103770	ABH3032	Not possible in combination with FW5252356*: 102619-02
ABH2961	Only in combination with 552682	ABH3034	Not possible in combination with FW5240253*, FW5246317*, FW5249310*:100750-03
ABH2962	Not possible in combination with 100526-21	ABH3036	Replaces FW5240253*, FW5246317*, FW5249310*:102619-03
ABH2964	Not possible in combination with FW5140253*, FW5144253*:552052 or 913916 or 552540	ABH3038	Only in combination with FW5246317*:151070 or 151060 or 151065
ABH2967	Replaces 102920-02	ABH3040	Not possible in combination with 151075
ABH2968	Not possible in combination with FW5140237*:552413	ABH3042	Replaces 402985-17 and 402985-20
ABH2970	Not possible in combination with 552317 or 552413	ABH3044	Only in combination with 453604
ABH2972	Replaces 551687	ABH3046	Replaces 353769
ABH2974	Not possible in combination with 553766	ABH3048	Only in combination with 151075
ABH2976	Not possible in combination with 552682	ABH3050	Only in combination with 151075 or 301957
ABH2978	Not possible in combination with 552413 or 550590	ABH3052	Not possible in combination with FW5240253*, FW5246317*:102619-02 and FW5249310*:102619-02 and 552540
ABH2980	Not possible in combination with 552317 or 550590	ABH3054	Only in combination with 452718-01 and (151070 or 151060 or 151065)
ABH2982	Includes 953554 and 953555	ABH3056	Only in combination with 450083 and (151070 or 151060 or 151065)
ABH2984	Only in combination with 450083 and (151010 or 151025 or 151027)	ABH3058	Not possible in combination with 151075 and 251729 or 250376-01
ABH2986	Replaces 302978 and 302979 and 302980 and 302981	ABH15992	Only in combination with 100526-21
ABH2988	Only in combination with 551054	ABH21007	Not possible in combination with FW5140237*:552317 or 552413 and 550590
ABH2991	Replaces FW5155381*:102619-02	ABH30916	Not possible in combination with 400060-05
ABH2992	Not possible in combination with FW5140253*, FW5144253*:102619-02 and 552540 and 913916	ABH30918	Not possible in combination with 400369-01
ABH2994	Only in combination with 450623	ABH31160	Not possible in combination with 150109
ABH2997	Only in combination with 251729	ABH31162	Not possible in combination with 100526-03 or 100526-04
ABH2998	Not possible in combination with 251248-01		
ABH3000	Not possible in combination with 253753		
ABH3002	Only in combination with 252594-01 and 250006		
ABH3004	Only in combination with 251261 and 250006		
ABH3006	Only in combination with 252698		



For leisure vehicles made by WEINSBERG, as part of the guarantee conditions which apply upon handover of the vehicle and in addition to your statutory warranty, we provide a 10-year no-leak guarantee on the vehicle body manufactured by us.

**PLEASE NOTE THE FOLLOWING IMPORTANT INFORMATION FOR ALL WEINSBERG LEISURE VEHICLES:**

**ABOUT THIS PRICE LIST:**

The contents correspond to the status of printing in 12/2022.  
The price list is valid as from 01/2023 for the 2023 model year. Previous price lists, brochure information and technical data are no longer valid in regards to the vehicles offered.  
Errors and misprints excepted.

**ABOUT TECHNICAL SPECIFICATIONS AND ILLUSTRATIONS:**

All measurements and weights are subject to change within possible tolerances of +/- 5% due to the use of natural raw materials.

We advise you to have any additions, alterations or installations carried out exclusively by authorised WEINSBERG dealers and to insist on original WEINSBERG parts in order to ensure your safety and to ensure that the type approval of your vehicle is not put in jeopardy.

Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. Certain combinations of custom requests may be impossible in certain cases. We reserve the right to make changes to construction, colour and fittings in so far as these provide a technical advance, are reasonable and/or serve the purpose of safety. Information on the product delivered, dimensions, mass and appearance, correspond to our understanding at the time of printing (12/2022). We reserve the right to make changes to fittings, technical data, series equipment and prices. Please make every effort to be fully informed about these matters by your authorised WEINSBERG dealer before making your purchase.

After a contract has been concluded, we reserve the right to make technical changes within the framework of the construction insofar as they serve technical progress and are acceptable for the customer.

Minor colour and texture deviations are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material structure (e.g. colour deviations of up to approx. 2.0 dE between paint on sheet metal and paint on GRP/plastic) and are reasonable for the customer

Some of the illustrations show equipment features that are not included in the standard equipment and that can be ordered for an additional charge (optional equipment) as well as some equipment features of prototypes/studies that do not correspond to the standard equipment and therefore cannot be ordered as optional equipment. Slight colour deviations of the illustrations in the brochure from the actual vehicle cannot be completely excluded for printing reasons.

Therefore, before purchasing a vehicle, please seek comprehensive advice on the current status of the series from an authorised WEINSBERG dealer. The decoration shown in the catalogue is not part of the equipment supplied.

**ABOUT WEIGHTS, CALCULATION EXAMPLES AND NORMS**

The water supply system corresponds at least to the state of the art 03/2009 (regulation 2002/72/EC)

WEINSBERG leisure vehicles are characterised by their technical progress. With the help of innovative solutions such as the use of high-strength steels for the chassis or intelligent honeycomb technology in furniture construction, low tare weights of WEINSBERG leisure vehicles are achieved.

The mass of the empty vehicle within the meaning of this price list is the mass of the vehicle with standard equipment and without basic equipment, i.e. without the mass of the driver and without „liquids“, as well as without additional equipment within the meaning of Art. 2, no. 3 VO (EU) 1230/2012.

The mass in running order as referred to in Art. 2, no. 4 a) VO (EU) 1230/2012 is, unless otherwise regulated, defined as:

Mass of the vehicle with standard equipment as specified by the manufacturer (incl. bord tools)

+ Alu liquid gas bottle (5kg/11 kg) 100% filled (18/23 kg total mass)

+ Fresh water tank (100% filled)

+ Toilet flush tank (100 % filled)

+ Fresh water heater (100% filled)

= Mass in running order

The technically permissible total mass according to Art. 2, no. 7 VO (EU) 1230/2012 is defined as:

The maximum mass of the vehicle as stated by the manufacturer when loaded, i.e. the maximum permissible mass of the vehicle in running order with optional equipment and load (passengers, luggage, etc.).

The maximum load capacity as referred to in the WEINSBERG catalogue is defined as:

Technically permissible maximum mass

- mass in running order

= maximum load capacity

Example:

(Technically permissible maximum mass) 1.400 kg

- (mass in running order) 1.090 kg

= (Maximum load capacity) 310 kg

The information provided for a vehicle under the heading „Technical Data / Equipment Details“ initially refers to the basic type of model approved under the EC type-approval procedure. Within the scope of country variants and special models, these values may differ if necessary. Please inform yourself about such deviations personally at your WEINSBERG specialist dealer.

Please note that the maximum load capacity as specified in the catalogue is reduced, for example, by the mass of the additional equipment ordered.

When selecting additional equipment, you are responsible for ensuring that your WEINSBERG leisure vehicle, after deducting the mass of the additional equipment from the maximum load capacity, must still have a minimum load capacity (= minimum payload) which must under no circumstances be undercut (see Annex I, Part D, no. 2.3.4.1 VO (EU) 1230/2012)

(Maximum number of beds

+ Total length of the vehicle body in m)

x 10

= Minimum payload capacity in kg

[(Maximum number of beds) 4

+ (Total length of the vehicle body in m) 5]

x 10

= 90 kg.

As a customer of WEINSBERG leisure vehicles, you are required to ensure that the leisure vehicle configured by you still complies with the minimum pay-mass once your selected additional options have been taken into account. If this should not be the case because of additional options requested by you, then you have two options to choose from when placing your order:

• increase the pay-mass of the vehicle

• deselect additional options

Your WEINSBERG dealer will inform you at any time about the remaining minimum payload of your vehicle.

The mass of the vehicle with standard equipment as specified by the manufacturer is determined by weighing a vehicle with standard equipment.

As a user of a WEINSBERG caravan, you are obliged not to exceed the „technically permissible maximum mass“ when driving and to ensure compliance with the permissible axle and drawbar loads by distributing the load evenly in the vehicle. You are also obliged to comply with all other regulations necessary for the safe operation of your caravan.

**SPECIFICATIONS AND INFORMATION ABOUT PRICES**

If you order options that replace components from the packages, these package components are not additionally supplied.

The prices indicated are recommended retail prices of the manufacturer. The prices indicated include the statutory value added tax (and, if applicable, other legally prescribed calculation factors or taxes, which may also be shown separately). The prices are (depending on the country) exclusive of the costs for registration documents, delivery and transport, unless expressly stated otherwise. Please consult your WEINSBERG dealer for further details.

The suggested retail prices for the optional extras apply exclusively to options built into new vehicles in the production run at the factory. Also bear in mind that retrofitting is not possible for all optional extras offered. The suggested retail prices given for individual equipment packages are not affected by the selection or deselection of additional options.



Visit us on  
social media and  
in our fan shop!



[facebook.weinsberg.com](https://facebook.weinsberg.com)



[instagram.weinsberg.com](https://instagram.weinsberg.com)



[youtube.weinsberg.com](https://youtube.weinsberg.com)



[shop.weinsberg.com](https://shop.weinsberg.com)

[www.weinsberg.com](https://www.weinsberg.com)

Knaus Tabbert AG | Helmut-Knaus-Str. 1 | D-94118 Jandelsbrunn

**WEINSBERG**

*Dein Urlaub!*